

PIX-LawnMaster®

Lawn Mower Dry-cover Belts



Features:

- Aramid cords offer high tensile strength, high resistance to shock loads and minimum elongation
- Specially designed bare fabric, facilitates smooth clutching operation and high resistance to wear and tear
- Able to withstand high levels of reverse flexing
- Resistance to oil, heat and cracking
- Temperature range: -18°C to +80°C

Product range:

Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Manufacturing Range		Length Desig.
				Min.	Max.	
3L	9.7	5.6	40	17.5"	173.5"	La
4L	12.7	7.9	40	18.0"	359"	La
5L	16.7	9.7	40	21.0"	179"	La

- Intermediate sizes and OEM parts are available upon request

Application: Lawn & garden machinery

PIX-LawnMaster® Lawn Mower Dry-cover Belts


Section: Dry-3L-K

Reference Standard: RMA IP 23

DRY-3L-K

Features:

- Aramid cords offer high tensile strength, high resistance to shock loads and minimum elongation
- Specially designed bare fabric, facilitates smooth clutching operation and high resistance to wear and tear
- Able to withstand high levels of reverse flexing
- Resistance to oil, heat and cracking
- Temperature range: -18°C to +80°C



Mfg. range	Weight/metre (Kgs)
17.5" to 173.5"	0.060

Section	Dimensions (mm)		Angle (Degree)	Reco. min pulley dia.
	Top width	Thickness		
3L	9.7	5.6	40	45mm

• Nominal Length (inches) = Belt No./10 = 'La'

Minimum order quantity:
Belt length: 18"-359": 58pcs.

PIX-LawnMaster® Lawn Mower Dry-cover Belts


Section: Dry-4L-K

Reference Standard: RMA IP 23

DRY-4L-K

Features:

- Aramid cords offer high tensile strength, high resistance to shock loads and minimum elongation
- Specially designed bare fabric, facilitates smooth clutching operation and high resistance to wear and tear
- Able to withstand high levels of reverse flexing
- Resistance to oil, heat and cracking
- Temperature range: -18°C to +80°C



Mfg. range	Weight/metre (Kgs)
18" to 359"	0.112

Section	Dimensions (mm)		Angle (Degree)	Reco. min pulley dia.
	Top width	Thickness		
4L	12.7	7.9	40	65 mm

• Nominal Length (inches) = Belt No./10 = 'La'

Minimum order quantity:
Belt length: 18"-359": 58pcs.

PIX-LawnMaster® Lawn Mower Dry-cover Belts


Section: Dry-5L-K

Reference Standard: RMA IP 23

DRY-5L-K

Features:

- Aramid cord offers high tensile strength, high resistance to shock loads and minimum elongation
- Specially designed bare fabric facilitates smooth clutching operation and high resistance to wear and tear
- Able to withstand high levels of reverse flexing
- Resistance to oil, heat and cracking
- Temperature range: -18°C to +80°C



Mfg. range	Weight/metre (Kgs)
21" to 179"	0.171

Section	Dimensions (mm)		Angle (Degree)	Reco. min pulley dia.
	Top width	Thickness		
5L	16.7	9.7	40	91 mm

• Nominal Length (inches) = Belt No./10 = 'La'

Minimum order quantity:
Belt length: 21"-179": 42pcs.

- Unlisted sizes: Prices on request
- Non standard stock items are available on request
- Other Lawn & Garden Belts are available upon request

Minimum order quantity:
Belt length: 17.5"-173.5": 64pcs.

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-514773	0801604159442	AL-KO	53	
A-514882	0801604159459	AL-KO	53	
A-521048	-	AL-KO	53	
A-P138300680	-	AL-KO	36	
A-00201010	-	ARIENS	36	
A-07200027	-	ARIENS	36	
A-07200028	-	ARIENS	36	
A-07200030	-	ARIENS	36	
A-07200032	-	ARIENS	36	
A-07200036	-	ARIENS	29	
A-07200037	-	ARIENS	53	
A-07200038	-	ARIENS	29	
A-07200039	-	ARIENS	29	
A-07200116	-	ARIENS	53	
A-07200433	-	ARIENS	36	
A-07200435	-	ARIENS	29	
A-07200502	-	ARIENS	36	
A-07202900	-	ARIENS	27	
A-07225500	-	ARIENS	36	
A-07234600	-	ARIENS	36	
A-07234900	-	ARIENS	29	
A-07235000	-	ARIENS	29	
A-07235100	-	ARIENS	36	
A-07237800	-	ARIENS	36	
A-07239200	-	ARIENS	36	
A-07239300	-	ARIENS	36	
A-07239400	-	ARIENS	36	
A-07240500	-	ARIENS	36	
A-07240700	-	ARIENS	36	
A-07241300	-	ARIENS	36	
A-07241400	-	ARIENS	47	
A-07241500	-	ARIENS	53	
A-07241600	-	ARIENS	53	
A-07241700	-	ARIENS	53	
A-07242000	-	ARIENS	31	
A-07242300	-	ARIENS	36	
A-07242800	-	ARIENS	31	
A-07243600	-	ARIENS	17	
A-41545	-	ARIENS	36	
A-49028	-	ARIENS	29	
A-49029	-	ARIENS	36	
A-49270	-	ARIENS	36	
A-7200004	-	ARIENS	38	
A-7200020	-	ARIENS	38	
A-7200021	0801604159466	ARIENS	35	
A-72023	-	ARIENS	72	
A-72047	-	ARIENS	54	
A-72052	0801604155666	ARIENS	29	
A-72056	-	ARIENS	53	
A-7206600	-	ARIENS	47	
A-72074	-	ARIENS	65	
A-72080	0801604155673	ARIENS	47	
A-72081	-	ARIENS	53	
A-72086	0801604155680	ARIENS	36	
A-72098	-	ARIENS	43	
A-72108	0801604155697	ARIENS	36	
A-72112	0801604155703	ARIENS	64	
A-72113	0801604155710	ARIENS	36	
A-72114	-	ARIENS	36	
A-72130	-	ARIENS	36	
A-72131	-	ARIENS	47	
A-7216900	-	ARIENS	36	
A-72171	0801604155727	ARIENS	47	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-7219600	-	ARIENS	53	
A-72224	-	ARIENS	36	
A-72231	-	ARIENS	36	
A-72238	-	ARIENS	36	
A-72242	-	ARIENS	36	
A-72250	-	ARIENS	36	
A-72258	-	ARIENS	36	
A-72260	-	ARIENS	36	
A-72266	-	ARIENS	47	
A-72345	-	ARIENS	53	
A-72363	0801604159473	ARIENS	57	
A-72382	-	ARIENS	53	
A-723900	0801604159480	ARIENS	41	
A-9240	-	ARIENS	36	
A-7211500	-	ARIENS	53	
A-07200026	-	ARIENS / GRAVELY	36	
A-7200001	-	ARIENS / GRAVELY	53	
A-7200005	-	ARIENS / GRAVELY	36	
A-7200010	-	ARIENS / GRAVELY	36	
A-7200019	-	ARIENS / GRAVELY	64	
A-7200035	-	ARIENS / GRAVELY	28	
A-7200107	-	ARIENS / GRAVELY	53	
A-7229000	-	ARIENS / GRAVELY	36	
A-7230700	-	ARIENS / GRAVELY	47	
A-7234400	-	ARIENS / GRAVELY	36	
A-7235700	-	ARIENS / GRAVELY	41	
A-7237700	-	ARIENS / GRAVELY	30	
A-7237900	-	ARIENS / GRAVELY	47	
A-7240200	-	ARIENS / GRAVELY	36	
A-7240300	-	ARIENS / GRAVELY	36	
A-7240400	-	ARIENS / GRAVELY	36	
A-7242200	-	ARIENS / GRAVELY	47	
A-D38019	-	ARIENS / GRAVELY	27	
A-GDU10025	-	ARIENS / GRAVELY	36	
A-TCU18847	-	ARIENS / GRAVELY	36	
A-3139	0801604155734	AS-MOTOR	64	
A-3431	0801604155741	AS-MOTOR	64	
A-3984	0801604155758	AS-MOTOR	64	
A-4283	0801604155765	AS-MOTOR	64	
A-4592	0801604155772	AS-MOTOR	64	
A-A57941	0801604159497	ATCO / QUALCAST	47	
A-A58728	0801604159503	ATCO / QUALCAST	54	
A-A58729	0801604159510	ATCO / QUALCAST	54	
A-A75062	-	ATCO / QUALCAST	40	
A-L08476	0801604159527	ATCO / QUALCAST	64	
A-L23014	0801604159534	ATCO / QUALCAST	30	
A-L36974	0801604159541	ATCO / QUALCAST	45	
A-T41175	0801604159558	ATCO / QUALCAST	36	
A-T41176	0801604159565	ATCO / QUALCAST	32	
A-T41945	0801604159572	ATCO / QUALCAST	35	
A-T47168	0801604159589	ATCO / QUALCAST	37	
A-106085X	0801604155789	AYP	53	
A-106412X	0801604155796	AYP	47	
A-106729X	0801604155802	AYP	41	
A-110883	0801604155819	AYP	53	
A-110884X	0801604155826	AYP	47	
A-120302X	-	AYP	53	
A-123796X	0801604159596	AYP	53	
A-124525	0801604155833	AYP	53	
A-125907X	0801604155840	AYP	53	
A-126520X	0801604155857	AYP	53	
A-130801	0801604155864	AYP	53	
A-130969	0801604155871	AYP	53	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro
A-131006	0801604155888	AYP	47	
A-131264	0801604155895	AYP	47	
A-131290	-	AYP	53	
A-137078	0801604159602	AYP	45	
A-137153	0801604155901	AYP	53	
A-138255	-	AYP	53	
A-140067	0801604155918	AYP	47	
A-140218	0801604155925	AYP	53	
A-140294	0801604155932	AYP	53	
A-141410	0801604155949	AYP	53	
A-141416	0801604155956	AYP	53	
A-144200	0801604155963	AYP	53	
A-148763	0801604155970	AYP	36	
A-157769	-	AYP	45	
A-158818	0801604155987	AYP	47	
A-161597	-	AYP	53	
A-161741	-	AYP	53	
A-1629J	-	AYP	53	
A-165555	-	AYP	45	
A-165631	0801604155994	AYP	53	
A-174978	-	AYP	53	
A-180213	0801604156007	AYP	53	
A-180217	0801604159619	AYP	45	
A-191273	0801604156014	AYP	36	
A-193214	-	AYP	53	
A-194346	0801604159626	AYP	53	
A-197253	-	AYP	53	
A-401603	-	AYP	53	
A-402008	-	AYP	45	
A-405075	-	AYP	53	
A-408019	0801604159633	AYP	29	
A-408381	0801604156021	AYP	53	
A-437261	0801604159640	AYP	53	
A-180260	-	AYP	36	
A-408008	-	AYP	29	
A-445880	-	AYP	53	
A-138399	-	AYP / HUSQVARNA	53	
A-139573	-	AYP / HUSQVARNA	53	
A-156971	-	AYP / HUSQVARNA	53	
A-1727407	-	AYP / HUSQVARNA	53	
A-419271	-	AYP / HUSQVARNA	53	
A-041-0120-00	-	BAD BOY	36	
A-041-0178-00	-	BAD BOY	36	
A-041-0202-00	-	BAD BOY	36	
A-041-0219-00	-	BAD BOY	36	
A-041-0236-00	-	BAD BOY	36	
A-041-1420-00	-	BAD BOY	36	
A-041-1470-00	-	BAD BOY	36	
A-041-1490-00	-	BAD BOY	36	
A-041-1560-00	-	BAD BOY	36	
A-041-1650-00	-	BAD BOY	36	
A-041-1890-00	-	BAD BOY	36	
A-041-2375-00	-	BAD BOY	36	
A-041-2525-00	-	BAD BOY	36	
A-041-5048-00	-	BAD BOY	29	
A-041-5200-00	-	BAD BOY	36	
A-041-6027-00	-	BAD BOY	36	
A-041-6400-00	-	BAD BOY	34	
A-041-8411-00	-	BAD BOY	30	
A-188035	-	BOBCAT	41	
A-2308010	-	BOBCAT	36	
A-2720815	-	BOBCAT	29	
A-2720948	-	BOBCAT	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-2722554	-	BOBCAT	29	
A-38017N	0801604156038	BOBCAT	29	
A-38031N	-	BOBCAT	30	
A-38211	0801604156045	BOBCAT	36	
A-38385	-	BOBCAT	53	
A-38407	-	BOBCAT	36	
A-38458	-	BOBCAT	36	
A-38463	-	BOBCAT	36	
A-38670	-	BOBCAT	29	
A-4157920	-	BOBCAT	36	
A-78031N	0801604156052	BOBCAT	54	
A-128003	-	BOBCAT / RANSOMES	36	
A-128004	-	BOBCAT / RANSOMES	36	
A-128005	-	BOBCAT / RANSOMES	53	
A-128099	-	BOBCAT / RANSOMES	36	
A-188010	-	BOBCAT / RANSOMES	53	
A-188030	-	BOBCAT / RANSOMES	45	
A-188069	-	BOBCAT / RANSOMES	30	
A-2188128	-	BOBCAT / RANSOMES	36	
A-2188134	-	BOBCAT / RANSOMES	29	
A-2188175	-	BOBCAT / RANSOMES	29	
A-2188176	-	BOBCAT / RANSOMES	30	
A-2308052	-	BOBCAT / RANSOMES	36	
A-2308103	-	BOBCAT / RANSOMES	36	
A-2721409	-	BOBCAT / RANSOMES	17	
A-2721477	-	BOBCAT / RANSOMES	29	
A-2722224	-	BOBCAT / RANSOMES	27	
A-38015N	0801604156069	BOBCAT / RANSOMES	36	
A-38016N	0801604156076	BOBCAT / RANSOMES	41	
A-38030N	-	BOBCAT / RANSOMES	36	
A-38111	0801604156083	BOBCAT / RANSOMES	36	
A-38136	-	BOBCAT / RANSOMES	36	
A-38212	0801604156090	BOBCAT / RANSOMES	17	
A-38234	-	BOBCAT / RANSOMES	40	
A-38249	0801604156106	BOBCAT / RANSOMES	17	
A-38275	-	BOBCAT / RANSOMES	36	
A-38291	-	BOBCAT / RANSOMES	36	
A-38330	-	BOBCAT / RANSOMES	36	
A-38331	-	BOBCAT / RANSOMES	36	
A-38362	-	BOBCAT / RANSOMES	36	
A-38363	-	BOBCAT / RANSOMES	36	
A-38389	-	BOBCAT / RANSOMES	28	
A-38439	-	BOBCAT / RANSOMES	36	
A-38440	-	BOBCAT / RANSOMES	36	
A-38442	-	BOBCAT / RANSOMES	36	
A-38462	-	BOBCAT / RANSOMES	29	
A-38470	-	BOBCAT / RANSOMES	36	
A-38522	-	BOBCAT / RANSOMES	29	
A-38523	-	BOBCAT / RANSOMES	17	
A-38528	-	BOBCAT / RANSOMES	17	
A-4135683	-	BOBCAT / RANSOMES	36	
A-4143636	-	BOBCAT / RANSOMES	36	
A-4143733	-	BOBCAT / RANSOMES	29	
A-4144212	-	BOBCAT / RANSOMES	27	
A-4162583	-	BOBCAT / RANSOMES	36	
A-48019	-	BOBCAT / RANSOMES	24	
A-48238A	-	BOBCAT / RANSOMES	36	
A-48280A	-	BOBCAT / RANSOMES	36	
A-48376	-	BOBCAT / RANSOMES	17	
A-490600	0801604156113	BOBCAT / RANSOMES	13	
A-6213 6710 2700	-	BOBCAT / RANSOMES	47	
A-78030N	-	BOBCAT / RANSOMES	54	
A-8595 2030 0220	-	BOBCAT / RANSOMES	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-BAA0070	-	BOBCAT / RANSOMES	32	
A-F016L63607	-	BOSCH / QUALCAST	33	
A-L63607	0801604159657	BOSCH / QUALCAST	34	
A-L64219	0801604159664	BOSCH / QUALCAST	26	
A-L65109	0801604159671	BOSCH / QUALCAST	20	
A-L65351	0801604159688	BOSCH / QUALCAST	23	
A-L66677	0801604159695	BOSCH / QUALCAST	56	
A-128110	-	BUNTON	36	
A-2722570	-	BUNTON	27	
A-PG757	-	BUNTON	53	
A-PL0511	0801604156144	BUNTON	29	
A-PL0543	-	BUNTON	36	
A-PL0619	-	BUNTON	32	
A-PL0643	-	BUNTON	36	
A-PL0648	-	BUNTON	32	
A-PL0661	-	BUNTON	29	
A-PL0848	-	BUNTON	28	
A-PL0861	-	BUNTON	29	
A-PL1443	-	BUNTON	42	
A-PL4275	-	BUNTON	17	
A-PL4511	-	BUNTON	29	
A-PL4513	-	BUNTON	36	
A-PL4732	-	BUNTON	30	
A-PL4733	-	BUNTON	26	
A-PL4734	-	BUNTON	36	
A-PL4739	-	BUNTON	29	
A-PL4740	-	BUNTON	36	
A-PL4811	-	BUNTON	29	
A-PL4813	-	BUNTON	36	
A-PL5039	-	BUNTON	29	
A-PL6011	-	BUNTON	29	
A-PL6062	-	BUNTON	29	
A-PL7014	-	BUNTON	36	
A-PL7332	-	BUNTON	29	
A-PL7436	-	BUNTON	36	
A-PL8519	-	BUNTON	28	
A-PM221	-	BUNTON	29	
A-50020136	-	BUSH HOG	36	
A-50023377	-	BUSH HOG	36	
A-50027563	-	BUSH HOG	53	
A-50027565	-	BUSH HOG	36	
A-50032039	-	BUSH HOG	47	
A-50034723	-	BUSH HOG	36	
A-50042562	-	BUSH HOG	40	
A-50055686	-	BUSH HOG	47	
A-65482	-	BUSH HOG	29	
A-66474	-	BUSH HOG	36	
A-66542	-	BUSH HOG	36	
A-66552	-	BUSH HOG	36	
A-83120	-	BUSH HOG	47	
A-83121	-	BUSH HOG	36	
A-83136	-	BUSH HOG	29	
A-84302	-	BUSH HOG	36	
A-84303	-	BUSH HOG	36	
A-86326	-	BUSH HOG	47	
A-88667	-	BUSH HOG	36	
A-88843	-	BUSH HOG	36	
A-90699	-	BUSH HOG	29	
A-90880	-	BUSH HOG	36	
A-93991	-	BUSH HOG	40	
A-94144	-	BUSH HOG	36	
A-94897	-	BUSH HOG	36	
A-94898	-	BUSH HOG	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-94899	-	BUSH HOG	36	
A-94900	-	BUSH HOG	36	
A-96814	-	BUSH HOG	36	
A-97314	-	BUSH HOG	53	
A-97315	-	BUSH HOG	36	
A-98479	-	BUSH HOG	29	
A-98481	-	BUSH HOG	52	
A-00330020140	-	CASTEL GARDEN	64	
A-118800039/0	-	CASTEL GARDEN	64	
A-135061429/0	0801604156151	CASTEL GARDEN	36	
A-135061430/0	0801604156168	CASTEL GARDEN	36	
A-135062003/1	-	CASTEL GARDEN	53	
A-135063170/0	-	CASTEL GARDEN	54	
A-135063710/0	-	CASTEL GARDEN	64	
A-135064010/0	-	CASTEL GARDEN	54	
A-135064100/0	-	CASTEL GARDEN	64	
A-135064196/0	0801604159701	CASTEL GARDEN	64	
A-1481	0801604156175	CASTEL GARDEN	64	
A-35006003	0801604156182	CASTEL GARDEN	53	
A-35061400	0801604159718	CASTEL GARDEN	36	
A-35061403	0801604156199	CASTEL GARDEN	36	
A-35061404/0	-	CASTEL GARDEN	36	
A-35061405	0801604156205	CASTEL GARDEN	53	
A-35061406	0801604156212	CASTEL GARDEN	36	
A-35061423	-	CASTEL GARDEN	53	
A-35061424	0801604156229	CASTEL GARDEN	53	
A-35061426	0801604156236	CASTEL GARDEN	53	
A-35061427/0C	-	CASTEL GARDEN	53	
A-35061501	0801604159725	CASTEL GARDEN	53	
A-35061502/0	-	CASTEL GARDEN	53	
A-35061503	0801604156243	CASTEL GARDEN	53	
A-35061503/0	0801604159732	CASTEL GARDEN	53	
A-35061504	0801604156250	CASTEL GARDEN	53	
A-35061508	0801604156267	CASTEL GARDEN	45	
A-35061980	0801604156274	CASTEL GARDEN	53	
A-35062000	0801604156281	CASTEL GARDEN	53	
A-35062001	0801604159749	CASTEL GARDEN	53	
A-35062003/1	-	CASTEL GARDEN	53	
A-35062010	0801604156298	CASTEL GARDEN	53	
A-35062011	0801604156304	CASTEL GARDEN	53	
A-35062012	-	CASTEL GARDEN	53	
A-35062013	0801604156311	CASTEL GARDEN	53	
A-35062014	-	CASTEL GARDEN	53	
A-35062811	0801604156328	CASTEL GARDEN	36	
A-35062812	0801604156335	CASTEL GARDEN	36	
A-35062813	0801604156342	CASTEL GARDEN	36	
A-35062814	-	CASTEL GARDEN	36	
A-35062814/1	-	CASTEL GARDEN	36	
A-35063170	-	CASTEL GARDEN	54	
A-35063175/0	0801604159756	CASTEL GARDEN	54	
A-35063710	0801604156359	CASTEL GARDEN	64	
A-35063800	0801604159763	CASTEL GARDEN	64	
A-35063900	0801604156366	CASTEL GARDEN	64	
A-35063902	0801604159770	CASTEL GARDEN	64	
A-35064000/0	-	CASTEL GARDEN	55	
A-35064010	-	CASTEL GARDEN	54	
A-35064100	0801604156373	CASTEL GARDEN	64	
A-35064150	0801604159787	CASTEL GARDEN	64	
A-35064195	0801604156380	CASTEL GARDEN	64	
A-35064196/0	-	CASTEL GARDEN	64	
A-35064197	0801604156397	CASTEL GARDEN	64	
A-35064373/0	-	CASTEL GARDEN	58	
A-35064378/0	-	CASTEL GARDEN	54	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-35064379/0	-	CASTEL GARDEN	55	
A-35064383/0	-	CASTEL GARDEN	55	
A-35064384/0	-	CASTEL GARDEN	54	
A-35064390/0	-	CASTEL GARDEN	54	
A-35065700	0801604156403	CASTEL GARDEN	45	
A-35065701	0801604156410	CASTEL GARDEN	45	
A-200393C	-	COMET	26	
A-203578	-	COMET	26	
A-203579	-	COMET	26	
A-203581C	-	COMET	26	
A-203582	-	COMET	26	
A-203583C	-	COMET	26	
A-203589A	-	COMET	25	
A-203590	-	COMET	25	
A-203591	-	COMET	25	
A-203592	-	COMET	25	
A-203594	-	COMET	25	
A-203597	-	COMET	25	
A-203785	-	COMET	22	
A-203787	-	COMET	22	
A-203791	0801604156427	COMET	22	
A-203792	-	COMET	22	
A-300668	-	COMET	22	
A-301195	-	COMET	16	
A-D3389	-	COUNTRY CLIPPER	36	
A-D3644	-	COUNTRY CLIPPER	36	
A-D3645	-	COUNTRY CLIPPER	36	
A-D3664	-	COUNTRY CLIPPER	53	
A-D3671	-	COUNTRY CLIPPER	36	
A-D3724	-	COUNTRY CLIPPER	36	
A-D3727W	-	COUNTRY CLIPPER	53	
A-D3728	-	COUNTRY CLIPPER	36	
A-D3733	-	COUNTRY CLIPPER	36	
A-D3754	-	COUNTRY CLIPPER	36	
A-D3764W	-	COUNTRY CLIPPER	53	
A-D3769	-	COUNTRY CLIPPER	36	
A-D3776W	-	COUNTRY CLIPPER	36	
A-D3777W	-	COUNTRY CLIPPER	53	
A-D3778	-	COUNTRY CLIPPER	36	
A-7543055	0801604156434	CUB CADET	36	
A-20256	-	DIXIE	29	
A-302360	-	DIXIE	32	
A-97346C158	-	DIXIE	22	
A-11305	-	DIXON	36	
A-12033	-	DIXON	36	
A-12172	-	DIXON	36	
A-124279	-	DIXON	53	
A-1300A	-	DIXON	36	
A-1684	-	DIXON	53	
A-1714	-	DIXON	53	
A-1860	-	DIXON	52	
A-2412	-	DIXON	36	
A-6109	-	DIXON	47	
A-6111	-	DIXON	36	
A-7650	0801604156441	DIXON	47	
A-7725	0801604156458	DIXON	36	
A-965300470	-	DIXON	54	
A-323003	-	ENCORE	36	
A-353112	-	ENCORE	36	
A-363210	-	ENCORE	36	
A-363211	-	ENCORE	36	
A-363212	-	ENCORE	36	
A-363312	-	ENCORE	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-423018	-	ENCORE	27	
A-48202A	-	ENCORE	17	
A-483030	-	ENCORE	36	
A-483031	-	ENCORE	29	
A-483053	-	ENCORE	36	
A-523107	-	ENCORE	36	
A-523108	-	ENCORE	36	
A-523349	-	ENCORE	36	
A-523366	-	ENCORE	29	
A-523452	-	ENCORE	36	
A-523453	-	ENCORE	27	
A-583153	-	ENCORE	36	
A-583385	-	ENCORE	36	
A-583517	-	ENCORE	29	
A-603050	-	ENCORE	36	
A-823026	-	ENCORE	36	
A-823243	-	ENCORE	36	
A-823267	-	ENCORE	29	
A-25632	0801604156465	ETESIA	41	
A-25680	0801604156472	ETESIA	36	
A-1030881	-	EXMARK	53	
A-1030882	-	EXMARK	35	
A-1034014	-	EXMARK	36	
A-1034760	-	EXMARK	42	
A-1034761	-	EXMARK	36	
A-1035589	-	EXMARK	42	
A-1035598	-	EXMARK	30	
A-1036906	-	EXMARK	30	
A-1091057	-	EXMARK	42	
A-1092584	-	EXMARK	36	
A-1093388	-	EXMARK	47	
A-1094994	-	EXMARK	36	
A-1095018	-	EXMARK	27	
A-1098073	-	EXMARK	36	
A-1099023	-	EXMARK	36	
A-1123823	-	EXMARK	36	
A-1323735	-	EXMARK	36	
A-1403174	-	EXMARK	36	
A-303078	-	EXMARK	41	
A-303079	-	EXMARK	32	
A-303080	-	EXMARK	36	
A-303499	-	EXMARK	29	
A-323051	-	EXMARK	36	
A-323200	-	EXMARK	29	
A-323280	-	EXMARK	36	
A-323288	-	EXMARK	17	
A-323299	-	EXMARK	27	
A-323300	-	EXMARK	29	
A-323344	-	EXMARK	29	
A-323733	-	EXMARK	36	
A-323734	-	EXMARK	36	
A-323735	-	EXMARK	36	
A-403024	-	EXMARK	29	
A-403025	-	EXMARK	29	
A-403088	-	EXMARK	29	
A-403105	-	EXMARK	29	
A-403174	-	EXMARK	36	
A-413093	-	EXMARK	36	
A-413094	-	EXMARK	36	
A-413095	-	EXMARK	36	
A-413096	-	EXMARK	36	
A-413308	-	EXMARK	36	
A-523175	-	EXMARK	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-543028	-	EXMARK	36	
A-543523	-	EXMARK	36	
A-543548	-	EXMARK	36	
A-543749	-	EXMARK	36	
A-603045	-	EXMARK	36	
A-603193	-	EXMARK	29	
A-603295	-	EXMARK	29	
A-603306	-	EXMARK	36	
A-603576	-	EXMARK	36	
A-603582	-	EXMARK	36	
A-603809	-	EXMARK	29	
A-633127	-	EXMARK	29	
A-633162	-	EXMARK	29	
A-633173	-	EXMARK	36	
A-633366	-	EXMARK	28	
A-633569	-	EXMARK	30	
A-633853	-	EXMARK	45	
A-643052	-	EXMARK	29	
A-653163	-	EXMARK	34	
A-653332	-	EXMARK	53	
A-653333	-	EXMARK	53	
A-653368	-	EXMARK	36	
A-653438	-	EXMARK	53	
A-1520873	-	FERRIS	36	
A-1521427	-	FERRIS	53	
A-20824	-	FERRIS	36	
A-21063	-	FERRIS	36	
A-21261	-	FERRIS	36	
A-21297	-	FERRIS	36	
A-21684	-	FERRIS	29	
A-21724	-	FERRIS	36	
A-22061	-	FERRIS	36	
A-22062	-	FERRIS	27	
A-22148	-	FERRIS	36	
A-22173	-	FERRIS	47	
A-22667	-	FERRIS	36	
A-5022575	-	FERRIS	36	
A-5100555	-	FERRIS	18	
A-381904	-	GRASSHOPPER	36	
A-381914	-	GRASSHOPPER	36	
A-382025	-	GRASSHOPPER	29	
A-382035	-	GRASSHOPPER	29	
A-382037	-	GRASSHOPPER	36	
A-382049	-	GRASSHOPPER	29	
A-382095	-	GRASSHOPPER	36	
A-382627	-	GRASSHOPPER	47	
A-382777	-	GRASSHOPPER	36	
A-382800	-	GRASSHOPPER	31	
A-382836	-	GRASSHOPPER	36	
A-41599	-	GRAVELY	36	
A-51213	-	GRAVELY	47	
A-D18004	-	GREAT DANE	34	
A-D18005	-	GREAT DANE	29	
A-D18006	-	GREAT DANE	29	
A-D18007	-	GREAT DANE	29	
A-D18008	-	GREAT DANE	29	
A-D18087	-	GREAT DANE	29	
A-D18088	-	GREAT DANE	29	
A-D18303	-	GREAT DANE	36	
A-D18348	-	GREAT DANE	28	
A-D28028	-	GREAT DANE	36	
A-D28029	-	GREAT DANE	29	
A-D28030	-	GREAT DANE	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-D28031	-	GREAT DANE	36	
A-D28125	-	GREAT DANE	36	
A-D28241	-	GREAT DANE	29	
A-GDU10228	-	GREAT DANE	36	
A-TCU18849	-	GREAT DANE	36	
A-00.3091.41	0801604156489	GUTBROD	64	
A-000.705.709	-	GUTBROD	53	
A-000.75.154	-	GUTBROD	59	
A-000.75.325	-	GUTBROD	53	
A-000.75.558	-	GUTBROD	53	
A-000.75.666	-	GUTBROD	53	
A-000.75.699	0801604156496	GUTBROD	53	
A-000.75.734	-	GUTBROD	53	
A-000.75.748	-	GUTBROD	59	
A-000.75.766	-	GUTBROD	53	
A-000.75.840	-	GUTBROD	53	
A-000.75.857	-	GUTBROD	54	
A-000.75.863	0801604156502	GUTBROD	47	
A-000.75.875	-	GUTBROD	64	
A-000.75.881	-	GUTBROD	41	
A-000.75.940	-	GUTBROD	54	
A-000.75.944	-	GUTBROD	47	
A-000.75.953	-	GUTBROD	47	
A-000.75.994	-	GUTBROD	59	
A-100004594	-	HAYTER	64	
A-100014919	-	HAYTER	64	
A-1118028	-	HAYTER	45	
A-1118709	-	HAYTER	54	
A-1340351	-	HAYTER	54	
A-1342295	-	HAYTER	54	
A-219110	0801604159794	HAYTER	36	
A-22431-VG4-B50	0801604156519	HONDA	53	
A-22432-VH7-A00	0801604159800	HONDA	47	
A-23161-952-771	0801604159817	HONDA	64	
A-22431-734-013	0801604159824	HONDA	36	
A-80481-VK1-003	-	HONDA	10	
A-80482-VK1-003	-	HONDA	8	
A-781310	-	HUSKEE	36	
A-781443	-	HUSKEE	36	
A-782292	-	HUSKEE	36	
A-784207	-	HUSKEE	36	
A-784249	-	HUSKEE	36	
A-789388	-	HUSKEE	36	
A-132801	0801604156526	HUSQVARNA	53	
A-144959D	-	HUSQVARNA	53	
A-174368	0801604156533	HUSQVARNA	36	
A-174369	-	HUSQVARNA	36	
A-174883	0801604159831	HUSQVARNA	36	
A-178138	0801604156540	HUSQVARNA	53	
A-180214	0801604156557	HUSQVARNA	53	
A-180808	0801604156564	HUSQVARNA	36	
A-196103	0801604159848	HUSQVARNA	36	
A-197242	0801604159855	HUSQVARNA	36	
A-2956730-01	-	HUSQVARNA	43	
A-405143	0801604159862	HUSQVARNA	53	
A-429636	0801604159879	HUSQVARNA	53	
A-5019866-01	-	HUSQVARNA	64	
A-5019866-05	-	HUSQVARNA	64	
A-5029452-01	0801604159886	HUSQVARNA	54	
A-5029453-01	0801604159893	HUSQVARNA	64	
A-5052086-01	0801604156571	HUSQVARNA	53	
A-5052089-01	-	HUSQVARNA	53	
A-5060330-33	-	HUSQVARNA	58	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-5060705-03	-	HUSQVARNA	54	
A-5060705-06	-	HUSQVARNA	54	
A-5060705-07	-	HUSQVARNA	54	
A-5062767-41	-	HUSQVARNA	58	
A-5062767-43	-	HUSQVARNA	58	
A-5065449-01	0801604156588	HUSQVARNA	59	
A-5065450-01	-	HUSQVARNA	47	
A-5065451-01	-	HUSQVARNA	59	
A-5065899-01	-	HUSQVARNA	47	
A-5066603-01	-	HUSQVARNA	47	
A-5066604-01	0801604156595	HUSQVARNA	59	
A-5066750-01	0801604156601	HUSQVARNA	47	
A-5067684-01	0801604156618	HUSQVARNA	47	
A-5067685-01	-	HUSQVARNA	53	
A-5067758-01	-	HUSQVARNA	53	
A-5067790-01	-	HUSQVARNA	47	
A-5069254-01	-	HUSQVARNA	53	
A-5069311-01	-	HUSQVARNA	37	
A-5069549-01	0801604156625	HUSQVARNA	36	
A-5069829-01	0801604156632	HUSQVARNA	53	
A-5069883-01	0801604159909	HUSQVARNA	42	
A-5102014-01	-	HUSQVARNA	36	
A-5137872-00	-	HUSQVARNA	48	
A-5229303-01	-	HUSQVARNA	36	
A-5229304-01	-	HUSQVARNA	53	
A-5229306-01	-	HUSQVARNA	53	
A-5310050-15	-	HUSQVARNA	53	
A-5310050-12	-	HUSQVARNA	56	
A-5310050-13	-	HUSQVARNA	59	
A-5310050-14	-	HUSQVARNA	47	
A-5310050-16	-	HUSQVARNA	47	
A-5310050-17	-	HUSQVARNA	53	
A-5310050-20	0801604159916	HUSQVARNA	53	
A-5310050-22	-	HUSQVARNA	59	
A-5310050-26	-	HUSQVARNA	53	
A-5310050-34	-	HUSQVARNA	58	
A-5310050-80	-	HUSQVARNA	37	
A-5310050-86	-	HUSQVARNA	53	
A-5310060-20	-	HUSQVARNA	44	
A-5310075-26	-	HUSQVARNA	18	
A-5310075-50	0801604159923	HUSQVARNA	45	
A-5310075-53	-	HUSQVARNA	53	
A-5310075-72	-	HUSQVARNA	36	
A-5310080-25	-	HUSQVARNA	53	
A-5310080-35	-	HUSQVARNA	47	
A-5310080-36	-	HUSQVARNA	36	
A-5310131-44	-	HUSQVARNA	47	
A-5310131-45	-	HUSQVARNA	59	
A-5310131-46	-	HUSQVARNA	59	
A-5321060-85	-	HUSQVARNA	53	
A-5321234-61	-	HUSQVARNA	53	
A-5321245-25	-	HUSQVARNA	53	
A-5321328-01	-	HUSQVARNA	53	
A-5321370-78	-	HUSQVARNA	43	
A-5321382-55	-	HUSQVARNA	53	
A-5321383-99	-	HUSQVARNA	53	
A-5321395-73	-	HUSQVARNA	53	
A-5321449-59	-	HUSQVARNA	53	
A-5321577-69	-	HUSQVARNA	47	
A-5321615-97	-	HUSQVARNA	53	
A-5321655-55	-	HUSQVARNA	45	
A-5321656-31	0801604159930	HUSQVARNA	53	
A-5321691-78	-	HUSQVARNA	45	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-5321701-40	-	HUSQVARNA	53	
A-5321743-68	-	HUSQVARNA	36	
A-5321748-83	-	HUSQVARNA	36	
A-5321802-13	0801604156649	HUSQVARNA	53	
A-5321808-08	-	HUSQVARNA	36	
A-5321932-14	-	HUSQVARNA	53	
A-5321943-46	-	HUSQVARNA	53	
A-5321961-03	-	HUSQVARNA	36	
A-5321972-42	-	HUSQVARNA	36	
A-5321972-53	-	HUSQVARNA	53	
A-5324016-03	-	HUSQVARNA	53	
A-5324020-08	-	HUSQVARNA	45	
A-5324020-09	-	HUSQVARNA	45	
A-5324051-43	-	HUSQVARNA	53	
A-5324080-07	-	HUSQVARNA	53	
A-5324080-10	-	HUSQVARNA	29	
A-5324080-19	-	HUSQVARNA	29	
A-5324083-81	801604156656	HUSQVARNA	53	
A-5324192-71	-	HUSQVARNA	53	
A-5324208-07	-	HUSQVARNA	53	
A-5324296-36	-	HUSQVARNA	53	
A-5324397-26	-	HUSQVARNA	53	
A-5324418-36	-	HUSQVARNA	53	
A-5324427-81	-	HUSQVARNA	53	
A-5324458-34	-	HUSQVARNA	53	
A-5324458-80	-	HUSQVARNA	47	
A-5324458-86	-	HUSQVARNA	53	
A-5333007-47	-	HUSQVARNA	53	
A-5354119-01	-	HUSQVARNA	53	
A-5354247-01	-	HUSQVARNA	53	
A-5354886-01	-	HUSQVARNA	42	
A-5355045-01	-	HUSQVARNA	53	
A-5391030-13	-	HUSQVARNA	53	
A-5391032-41	-	HUSQVARNA	36	
A-5391104-11	-	HUSQVARNA	53	
A-5391108-32	-	HUSQVARNA	36	
A-5391108-59	-	HUSQVARNA	17	
A-5391123-34	-	HUSQVARNA	36	
A-5391125-29	-	HUSQVARNA	36	
A-5391172-45	-	HUSQVARNA	36	
A-5440681-01	0801604156663	HUSQVARNA	53	
A-5441133-01	0801604159947	HUSQVARNA	53	
A-5442389-01	-	HUSQVARNA	53	
A-5444002-01	0801604159954	HUSQVARNA	53	
A-5449763-01	0801604159961	HUSQVARNA	51	
A-5748456-03	-	HUSQVARNA	36	
A-5752255-01	-	HUSQVARNA	53	
A-5752256-01	-	HUSQVARNA	36	
A-5752257-01	0801604159978	HUSQVARNA	53	
A-5752258-01	-	HUSQVARNA	59	
A-5773266-01	-	HUSQVARNA	42	
A-5802803-01	-	HUSQVARNA	36	
A-5802804-01	-	HUSQVARNA	53	
A-5806687-01	-	HUSQVARNA	53	
A-5817599-01	-	HUSQVARNA	53	
A-5830367-01	-	HUSQVARNA	53	
A-5830661-01	-	HUSQVARNA	53	
A-5833051-01	-	HUSQVARNA	37	
A-5835449-01	0801604156670	HUSQVARNA	53	
A-5835814-01	-	HUSQVARNA	53	
A-5835819-01	-	HUSQVARNA	53	
A-5837884-01	-	HUSQVARNA	53	
A-5844488-01	-	HUSQVARNA	53	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-5848970-01	-	HUSQVARNA	45	
A-5850344-01	-	HUSQVARNA	53	
A-5850345-01	-	HUSQVARNA	53	
A-5858930-01	-	HUSQVARNA	36	
A-5895304-01	0801604159985	HUSQVARNA	53	
A-5895305-01	-	HUSQVARNA	47	
A-5895306-01	0801604159992	HUSQVARNA	53	
A-5895307-01	-	HUSQVARNA	53	
A-5895308-01	-	HUSQVARNA	59	
A-5895312-01	-	HUSQVARNA	36	
A-5895313-01	-	HUSQVARNA	59	
A-5895316-01	-	HUSQVARNA	47	
A-5895322-01	-	HUSQVARNA	53	
A-5895329-01	-	HUSQVARNA	53	
A-5895330-01	-	HUSQVARNA	53	
A-5895332-01	-	HUSQVARNA	53	
A-5895385-01	-	HUSQVARNA	53	
A-5895617-01	-	HUSQVARNA	36	
A-5895622-01	-	HUSQVARNA	53	
A-5895623-01	-	HUSQVARNA	42	
A-5895631-01	-	HUSQVARNA	36	
A-5938062-01	-	HUSQVARNA	53	
A-6060002-26	-	HUSQVARNA	47	
A-PP13007	-	HUSQVARNA	36	
A-PP13008	-	HUSQVARNA	36	
A-PP13009	-	HUSQVARNA	36	
A-5449084-06	-	HUSQVARNA	40	
A-5803646-09	-	HUSQVARNA	64	
A-5825580-01	-	HUSQVARNA	36	
A-5826407-02	-	HUSQVARNA	64	
A-5892626-02	-	HUSQVARNA	29	
A-3010037	-	IBEA	47	
A-IP3010013	0801604156687	IBEA	54	
A-IP3010023	-	IBEA	55	
A-172833400800	-	ISEKI	36	
A-172833405100	-	ISEKI	36	
A-M136298	-	JOHN DEERE	47	
A-AM102190	-	JOHN DEERE	36	
A-AR43219	-	JOHN DEERE	34	
A-AR54592	-	JOHN DEERE	53	
A-AR57266	-	JOHN DEERE	53	
A-CC30453	-	JOHN DEERE	36	
A-EPC201624	0801604160004	JOHN DEERE	26	
A-EPCO43827	0801604156724	JOHN DEERE	47	
A-EPCO43836	0801604156731	JOHN DEERE	47	
A-GC00073	0801604156748	JOHN DEERE	47	
A-GC00081	-	JOHN DEERE	47	
A-GX10063	-	JOHN DEERE	47	
A-GX10176	0801604156755	JOHN DEERE	47	
A-GX20006	0801604156762	JOHN DEERE	47	
A-GX20072	-	JOHN DEERE	47	
A-GX20241	-	JOHN DEERE	53	
A-GX20305	0801604160011	JOHN DEERE	47	
A-GX21395	-	JOHN DEERE	36	
A-GX21833	0801604160028	JOHN DEERE	47	
A-GX22036	0801604156779	JOHN DEERE	53	
A-GX23110	0801604160035	JOHN DEERE	53	
A-GX23111	-	JOHN DEERE	45	
A-GX23798	0801604160042	JOHN DEERE	53	
A-GY20570	0801604156786	JOHN DEERE	53	
A-GY20571	-	JOHN DEERE	47	
A-GY20572	-	JOHN DEERE	29	
A-L41330	-	JOHN DEERE	42	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-L41331	-	JOHN DEERE	42	
A-L59206	-	JOHN DEERE	42	
A-M110313	0801604156793	JOHN DEERE	36	
A-M110978	0801604156809	JOHN DEERE	53	
A-M111534	-	JOHN DEERE	36	
A-M115776	0801604156816	JOHN DEERE	36	
A-M117608	0801604156823	JOHN DEERE	35	
A-M118685	0801604156830	JOHN DEERE	36	
A-M119539	-	JOHN DEERE	29	
A-M119872	-	JOHN DEERE	35	
A-M120381	-	JOHN DEERE	36	
A-M121178	0801604160059	JOHN DEERE	55	
A-M122106	-	JOHN DEERE	47	
A-M122907	-	JOHN DEERE	32	
A-M123281	0801604156847	JOHN DEERE	47	
A-M124895	0801604156854	JOHN DEERE	47	
A-M125218	-	JOHN DEERE	34	
A-M125383	-	JOHN DEERE	15	
A-M126536	-	JOHN DEERE	47	
A-M127523	-	JOHN DEERE	36	
A-M128733	0801604156861	JOHN DEERE	47	
A-M134268	-	JOHN DEERE	34	
A-M136137	0801604160066	JOHN DEERE	36	
A-M136927	-	JOHN DEERE	53	
A-M140502	-	JOHN DEERE	47	
A-M141562	-	JOHN DEERE	53	
A-M141627	0801604156878	JOHN DEERE	36	
A-M142499	0801604160073	JOHN DEERE	24	
A-M142997	0801604156885	JOHN DEERE	36	
A-M143019	0801604160080	JOHN DEERE	30	
A-M143888	0801604156892	JOHN DEERE	36	
A-M144044	0801604160097	JOHN DEERE	47	
A-M146667	0801604160103	JOHN DEERE	36	
A-M147278	-	JOHN DEERE	36	
A-M148556	-	JOHN DEERE	36	
A-M151649	-	JOHN DEERE	47	
A-M152284	-	JOHN DEERE	53	
A-M152398	-	JOHN DEERE	53	
A-M153160	-	JOHN DEERE	36	
A-M154157	-	JOHN DEERE	47	
A-M154294	0801604156908	JOHN DEERE	47	
A-M154295	-	JOHN DEERE	36	
A-M154601	-	JOHN DEERE	47	
A-M154621	0801604156915	JOHN DEERE	47	
A-M154958	-	JOHN DEERE	36	
A-M154960	-	JOHN DEERE	36	
A-M155096	-	JOHN DEERE	36	
A-M155343	-	JOHN DEERE	53	
A-M155368	-	JOHN DEERE	36	
A-M155452	-	JOHN DEERE	53	
A-M155525	-	JOHN DEERE	47	
A-M155885	-	JOHN DEERE	36	
A-M158131	-	JOHN DEERE	47	
A-M40223	0801604156922	JOHN DEERE	53	
A-M41668	0801604156939	JOHN DEERE	47	
A-M44121	0801604156946	JOHN DEERE	28	
A-M44132	-	JOHN DEERE	36	
A-M47765	0801604156953	JOHN DEERE	47	
A-M47766	-	JOHN DEERE	47	
A-M74747	0801604156960	JOHN DEERE	47	
A-M77988	0801604156977	JOHN DEERE	47	
A-M77997	-	JOHN DEERE	53	
A-M82167	-	JOHN DEERE	53	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-M82258	0801604156984	JOHN DEERE	29	
A-M82462	0801604156991	JOHN DEERE	36	
A-M82538	0801604157004	JOHN DEERE	47	
A-M84136	-	JOHN DEERE	47	
A-M86248	-	JOHN DEERE	47	
A-M86996	-	JOHN DEERE	47	
A-M87373	-	JOHN DEERE	26	
A-M95087	0801604157011	JOHN DEERE	47	
A-M95875	-	JOHN DEERE	27	
A-N150864	-	JOHN DEERE	29	
A-PT12668	-	JOHN DEERE	29	
A-PT8675	0801604157028	JOHN DEERE	32	
A-PT8676	-	JOHN DEERE	53	
A-PT8697	-	JOHN DEERE	36	
A-R41627	-	JOHN DEERE	35	
A-R41681	-	JOHN DEERE	37	
A-R71459	-	JOHN DEERE	36	
A-R71603	-	JOHN DEERE	36	
A-R73189	-	JOHN DEERE	36	
A-RE41942	-	JOHN DEERE	42	
A-TCU12497	-	JOHN DEERE	36	
A-TCU13198	0801604157035	JOHN DEERE	36	
A-TCU13401	-	JOHN DEERE	36	
A-TCU14356	-	JOHN DEERE	36	
A-TCU16026	-	JOHN DEERE	26	
A-TCU16092	0801604157042	JOHN DEERE	36	
A-TCU16495	-	JOHN DEERE	40	
A-TCU16607	0801604160110	JOHN DEERE	53	
A-TCU16841	-	JOHN DEERE	18	
A-TCU18602	-	JOHN DEERE	36	
A-TCU18848	-	JOHN DEERE	36	
A-TCU19418	-	JOHN DEERE	36	
A-TCU22550	-	JOHN DEERE	34	
A-TCU25673	-	JOHN DEERE	36	
A-TCU26294	-	JOHN DEERE	36	
A-TCU26295	-	JOHN DEERE	36	
A-TCU26297	-	JOHN DEERE	36	
A-TCU26298	-	JOHN DEERE	40	
A-TCU26349	-	JOHN DEERE	36	
A-TCU26907	-	JOHN DEERE	36	
A-TCU26908	-	JOHN DEERE	53	
A-TCU28433	-	JOHN DEERE	32	
A-TCU29453	-	JOHN DEERE	40	
A-TCU29454	-	JOHN DEERE	40	
A-M169485	-	JOHN DEERE	36	
A-M169500	-	JOHN DEERE	36	
A-M76297	-	JOHN DEERE	27	
A-100023	-	KEES	29	
A-100024	-	KEES	29	
A-100026	-	KEES	17	
A-100051	-	KEES	36	
A-101141	-	KEES	29	
A-101228	-	KEES	36	
A-101736	-	KEES	36	
A-101996	-	KEES	36	
A-102549	-	KEES	36	
A-104334	-	KEES	36	
A-104335	-	KEES	29	
A-105477	-	KEES	30	
A-106339	-	KEES	36	
A-205505	-	KEES	45	
A-205513	-	KEES	36	
A-205514	-	KEES	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-1935	0801604157059	KLIPPO	54	
A-70000-73986	-	KLIPPO	36	
A-70080-00271	-	KLIPPO	53	
A-76353-34710	-	KLIPPO	36	
A-14911-97010	0801604157066	KUBOTA	70	
A-15481-97010	-	KUBOTA	53	
A-66021-25080	-	KUBOTA	32	
A-66101-25080	0801604157073	KUBOTA	36	
A-70000-74007	-	KUBOTA	41	
A-70050-94495	-	KUBOTA	36	
A-70050-94497	-	KUBOTA	36	
A-70706-34710	-	KUBOTA	29	
A-70713-34770	0801604157080	KUBOTA	36	
A-70720-34710	-	KUBOTA	41	
A-70722-32430	-	KUBOTA	36	
A-70722-34710	-	KUBOTA	36	
A-76500-34710	0801604157097	KUBOTA	36	
A-76505-34710	0801604157103	KUBOTA	26	
A-76516-61510	-	KUBOTA	36	
A-76516-61660	-	KUBOTA	36	
A-76517-61660	-	KUBOTA	36	
A-76529-34710	0801604157110	KUBOTA	26	
A-76539-34710	0801604157127	KUBOTA	26	
A-76550-34710	-	KUBOTA	29	
A-76553-34710	-	KUBOTA	26	
A-K5112-71410	-	KUBOTA	41	
A-K5201-71410	0801604157134	KUBOTA	36	
A-K5351-34710	-	KUBOTA	26	
A-K5410-71420	-	KUBOTA	36	
A-K5645-34710	0801604157141	KUBOTA	26	
A-K5647-34710	0801604157158	KUBOTA	26	
A-K5651-34710	0801604157165	KUBOTA	26	
A-K5651-34711	-	KUBOTA	26	
A-K5671-34710	-	KUBOTA	26	
A-K5677-34710	0801604160127	KUBOTA	26	
A-K5700-34710	0801604157172	KUBOTA	26	
A-K5763-34710	-	KUBOTA	26	
A-K5764-34710	0801604157189	KUBOTA	26	
A-00.3091.10	0801604157196	KYNAST	64	
A-00.3091.20	0801604157202	KYNAST	30	
A-00.3091.40	0801604157219	KYNAST	54	
A-068093	-	LESCO	36	
A-07200504	-	LESCO	36	
A-21947	-	LESCO	36	
A-23887	-	LESCO	47	
A-50480	-	LESCO	36	
A-700151	-	LESCO	17	
A-705010	-	LESCO	53	
A-705375	-	LESCO	53	
A-705376	-	LESCO	53	
A-705377	-	LESCO	36	
A-705378	-	LESCO	36	
A-9000 1701 0020	-	MOTEC	41	
A-100.000.900	-	MTD	31	
A-1762	0801604157226	MTD	54	
A-7540101A	0801604157233	MTD	53	
A-7540125B	0801604157240	MTD	47	
A-7540131	0801604157257	MTD	56	
A-7540145A	0801604157264	MTD	36	
A-7540151	0801604157271	MTD	41	
A-7540180	-	MTD	36	
A-7540194	0801604157288	MTD	53	
A-7540195A	-	MTD	53	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-7540197	0801604157295	MTD	47	
A-7540218	-	MTD	41	
A-7540226	0801604157301	MTD	53	
A-7540230	0801604157318	MTD	53	
A-7540232	-	MTD	53	
A-7540240	0801604157325	MTD	41	
A-7540241A	0801604157332	MTD	36	
A-7540246	0801604160134	MTD	22	
A-7540264	0801604157349	MTD	47	
A-7540266A	0801604157356	MTD	47	
A-7540270	0801604157363	MTD	45	
A-7540271	0801604157370	MTD	64	
A-7540280A	0801604157387	MTD	36	
A-7540281	0801604157394	MTD	36	
A-7540291A	-	MTD	53	
A-7540292	0801604157400	MTD	53	
A-7540293	0801604157417	MTD	53	
A-7540327	0801604157424	MTD	64	
A-7540328	0801604157431	MTD	36	
A-7540329A	0801604157448	MTD	36	
A-7540338	0801604157455	MTD	53	
A-7540343	0801604157462	MTD	64	
A-7540346	0801604157479	MTD	64	
A-7540349A	0801604157486	MTD	47	
A-7540350	0801604157493	MTD	36	
A-7540355	0801604157509	MTD	47	
A-7540358	0801604157516	MTD	29	
A-7540362	0801604157523	MTD	29	
A-7540363	0801604157530	MTD	36	
A-7540364	0801604157547	MTD	36	
A-7540369	0801604157554	MTD	64	
A-7540370	0801604157561	MTD	36	
A-7540371A	0801604157578	MTD	36	
A-75404001A	-	MTD	36	
A-75404002	0801604157585	MTD	36	
A-75404013	0801604157592	MTD	64	
A-75404014	0801604160141	MTD	64	
A-75404024	0801604157608	MTD	36	
A-75404028	0801604157615	MTD	64	
A-75404032B	0801604157622	MTD	64	
A-75404038	0801604157639	MTD	36	
A-75404039	0801604157646	MTD	36	
A-75404040	0801604157653	MTD	64	
A-75404044	-	MTD	47	
A-75404045	0801604157660	MTD	53	
A-75404048	0801604157677	MTD	36	
A-75404050A	-	MTD	41	
A-75404052	0801604157684	MTD	36	
A-75404060B	0801604157691	MTD	53	
A-75404062	0801604157707	MTD	53	
A-75404069	0801604157714	MTD	36	
A-75404074A	-	MTD	53	
A-75404075	0801604157721	MTD	36	
A-75404077	0801604157738	MTD	36	
A-75404087	0801604157745	MTD	36	
A-75404088	-	MTD	72	
A-75404093	0801604157752	MTD	47	
A-75404100	-	MTD	47	
A-75404122	0801604157769	MTD	53	
A-75404123	-	MTD	53	
A-75404153A	-	MTD	47	
A-75404170	-	MTD	36	
A-75404171	0801604157776	MTD	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-75404174	0801604157783	MTD	45	
A-75404175	0801604157790	MTD	45	
A-75404184	-	MTD	47	
A-75404188	0801604157806	MTD	53	
A-75404211	-	MTD	36	
A-75404222	0801604160158	MTD	53	
A-75404249A	-	MTD	36	
A-75404252	0801604157813	MTD	53	
A-75404258	-	MTD	47	
A-75404259A	-	MTD	64	
A-75404260	-	MTD	64	
A-75404268	-	MTD	36	
A-7540427	0801604157820	MTD	36	
A-7540430B	0801604157837	MTD	47	
A-75404317A	-	MTD	53	
A-75404325	-	MTD	47	
A-75404329A	-	MTD	36	
A-7540433	0801604157844	MTD	36	
A-75404331	-	MTD	36	
A-7540434	0801604157851	MTD	53	
A-7540436	0801604157868	MTD	64	
A-7540439	0801604157875	MTD	36	
A-7540440	0801604157882	MTD	53	
A-7540441	0801604160165	MTD	47	
A-7540443A	0801604157899	MTD	45	
A-7540444	0801604157905	MTD	36	
A-7540445	0801604157912	MTD	36	
A-7540453	0801604157929	MTD	41	
A-7540456	0801604157936	MTD	64	
A-7540461	-	MTD	47	
A-7540467	0801604157943	MTD	36	
A-7540468	0801604157950	MTD	36	
A-7540470	0801604157967	MTD	45	
A-7540474	0801604157974	MTD	36	
A-7540475	0801604157981	MTD	36	
A-754-0476	-	MTD	36	
A-7540478	0801604157998	MTD	47	
A-7540479	0801604158001	MTD	36	
A-7540483	-	MTD	47	
A-7540484	-	MTD	47	
A-7540486	-	MTD	36	
A-7540489	0801604158018	MTD	64	
A-7540492	0801604158025	MTD	36	
A-7540493	0801604158032	MTD	36	
A-7540494	0801604158049	MTD	36	
A-7540495	0801604158056	MTD	36	
A-7540498	0801604158063	MTD	53	
A-7540499	0801604158070	MTD	36	
A-75405001	-	MTD	47	
A-75405015	-	MTD	36	
A-75405021	-	MTD	53	
A-75405022A	-	MTD	53	
A-75405025A	-	MTD	36	
A-75405040	-	MTD	36	
A-7540525	-	MTD	47	
A-75405377	-	MTD	42	
A-7540626B	0801604158087	MTD	41	
A-7540629A	0801604158094	MTD	41	
A-7540630	0801604158100	MTD	53	
A-7540631	0801604158117	MTD	36	
A-7540632	0801604158124	MTD	36	
A-7540634	0801604158131	MTD	47	
A-7540637A	0801604158148	MTD	47	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-7540640	-	MTD	47	
A-7540642	0801604158155	MTD	36	
A-7540754	0801604158162	MTD	36	
A-7540935	0801604158179	MTD	53	
A-754246	-	MTD	22	
A-7543068	0801604158186	MTD	36	
A-7540175	-	MTD / CUB CADET	36	
A-75404033	0801604158193	MTD / CUB CADET	47	
A-75405013	-	MTD / CUB CADET	36	
A-75405027	-	MTD / CUB CADET	47	
A-75406134	-	MTD / CUB CADET	47	
A-00030779	-	MTD / CUB CADET / WHITE	36	
A-00050441	-	MTD / CUB CADET / WHITE	36	
A-01000399	-	MTD / CUB CADET / WHITE	47	
A-01002391	-	MTD / CUB CADET / WHITE	36	
A-01004752	-	MTD / CUB CADET / WHITE	53	
A-01005011	-	MTD / CUB CADET / WHITE	36	
A-01005012	-	MTD / CUB CADET / WHITE	36	
A-01005375	-	MTD / CUB CADET / WHITE	53	
A-01005376	-	MTD / CUB CADET / WHITE	53	
A-01005377	-	MTD / CUB CADET / WHITE	36	
A-01005378	-	MTD / CUB CADET / WHITE	36	
A-01008349	-	MTD / CUB CADET / WHITE	47	
A-01009719	-	MTD / CUB CADET / WHITE	36	
A-01009787	-	MTD / CUB CADET / WHITE	36	
A-02000103	-	MTD / CUB CADET / WHITE	47	
A-02000154	-	MTD / CUB CADET / WHITE	53	
A-02000653	-	MTD / CUB CADET / WHITE	53	
A-02002648	-	MTD / CUB CADET / WHITE	53	
A-1000151	-	MTD / CUB CADET / WHITE	17	
A-1000194	-	MTD / CUB CADET / WHITE	53	
A-1005010	-	MTD / CUB CADET / WHITE	47	
A-1005374	-	MTD / CUB CADET / WHITE	47	
A-1007015	-	MTD / CUB CADET / WHITE	53	
A-1007579	-	MTD / CUB CADET / WHITE	47	
A-1009583	-	MTD / CUB CADET / WHITE	36	
A-2001116	-	MTD / CUB CADET / WHITE	53	
A-490489R2	-	MTD / CUB CADET / WHITE	29	
A-7540142	-	MTD / CUB CADET / WHITE	54	
A-7540181	-	MTD / CUB CADET / WHITE	47	
A-7540190	-	MTD / CUB CADET / WHITE	53	
A-7540228	-	MTD / CUB CADET / WHITE	36	
A-7540291	-	MTD / CUB CADET / WHITE	53	
A-7540325	-	MTD / CUB CADET / WHITE	53	
A-7540367	-	MTD / CUB CADET / WHITE	64	
A-75404003A	-	MTD / CUB CADET / WHITE	47	
A-75404041	-	MTD / CUB CADET / WHITE	36	
A-75404043	-	MTD / CUB CADET / WHITE	36	
A-75404047	-	MTD / CUB CADET / WHITE	53	
A-75404055	-	MTD / CUB CADET / WHITE	36	
A-75404064	-	MTD / CUB CADET / WHITE	36	
A-75404118	-	MTD / CUB CADET / WHITE	53	
A-75404137A	-	MTD / CUB CADET / WHITE	47	
A-75404138A	-	MTD / CUB CADET / WHITE	36	
A-75404142	-	MTD / CUB CADET / WHITE	53	
A-75404164	-	MTD / CUB CADET / WHITE	53	
A-75404165	0801604160172	MTD / CUB CADET / WHITE	53	
A-75404195	-	MTD / CUB CADET / WHITE	45	
A-75404207	-	MTD / CUB CADET / WHITE	53	
A-75404212	-	MTD / CUB CADET / WHITE	53	
A-75404219	-	MTD / CUB CADET / WHITE	47	
A-75404240	-	MTD / CUB CADET / WHITE	47	
A-7540428	-	MTD / CUB CADET / WHITE	53	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-7540438	-	MTD / CUB CADET / WHITE	53	
A-7540446	0801604158209	MTD / CUB CADET / WHITE	36	
A-7540460	0801604158216	MTD / CUB CADET / WHITE	64	
A-7540465	-	MTD / CUB CADET / WHITE	64	
A-7540472	0801604158223	MTD / CUB CADET / WHITE	36	
A-7540485	0801604160189	MTD / CUB CADET / WHITE	36	
A-7540485A	-	MTD / CUB CADET / WHITE	36	
A-7540486A	-	MTD / CUB CADET / WHITE	36	
A-7540497	0801604158230	MTD / CUB CADET / WHITE	53	
A-7540625	-	MTD / CUB CADET / WHITE	64	
A-7540641	0801604160196	MTD / CUB CADET / WHITE	53	
A-7540644	-	MTD / CUB CADET / WHITE	53	
A-7540645	-	MTD / CUB CADET / WHITE	53	
A-7543001	-	MTD / CUB CADET / WHITE	36	
A-7543004	-	MTD / CUB CADET / WHITE	53	
A-7543029	-	MTD / CUB CADET / WHITE	47	
A-7543039	-	MTD / CUB CADET / WHITE	36	
A-7543041	-	MTD / CUB CADET / WHITE	47	
A-7543045	-	MTD / CUB CADET / WHITE	53	
A-7543048	-	MTD / CUB CADET / WHITE	36	
A-7543053	-	MTD / CUB CADET / WHITE	53	
A-7543073	-	MTD / CUB CADET / WHITE	47	
A-7543084	-	MTD / CUB CADET / WHITE	53	
A-00.3091.30	0801604158247	MURRAY	54	
A-1001223	-	MURRAY	45	
A-124998	0801604158254	MURRAY	47	
A-1736421	-	MURRAY	36	
A-24304	-	MURRAY	47	
A-313851	0801604160202	MURRAY	37	
A-313918	0801604160219	MURRAY	51	
A-37X3	0801604158261	MURRAY	53	
A-37X100	-	MURRAY	47	
A-37X101	-	MURRAY	42	
A-37X102	-	MURRAY	64	
A-37X106	-	MURRAY	53	
A-37X110	0801604158278	MURRAY	53	
A-37X111	0801604158285	MURRAY	47	
A-37X112	-	MURRAY	29	
A-37X113	-	MURRAY	29	
A-37X114	-	MURRAY	29	
A-37x115	-	MURRAY	29	
A-37X123	-	MURRAY	52	
A-37X128	-	MURRAY	52	
A-37x131	-	MURRAY	45	
A-37X21	-	MURRAY	53	
A-37X27	-	MURRAY	47	
A-37X34	-	MURRAY	53	
A-37X35	-	MURRAY	53	
A-37X37	-	MURRAY	53	
A-37X46	-	MURRAY	47	
A-37x56	0801604158292	MURRAY	53	
A-37X7	-	MURRAY	53	
A-37X73	-	MURRAY	47	
A-37X76	-	MURRAY	47	
A-37X83	-	MURRAY	53	
A-37X84	-	MURRAY	47	
A-37X89	0801604158308	MURRAY	47	
A-37X90	-	MURRAY	63	
A-37X94	-	MURRAY	43	
A-37x96	-	MURRAY	47	
A-37X97	-	MURRAY	53	
A-3887	0801604160226	MURRAY	35	
A-42111	-	MURRAY	27	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-579932	0801604158315	MURRAY	47	
A-581264	-	MURRAY	35	
A-585416	0801604158322	MURRAY	36	
A-585436	0801604160233	MURRAY	35	
A-585965	-	MURRAY	37	
A-7101193	-	MURRAY	47	
A-723738	-	MURRAY	52	
A-760928	-	MURRAY	47	
A-761788	0801604160240	MURRAY	41	
A-7701014	-	MURRAY	52	
A-100000047	0801604158339	MURRAY / KYNAST	47	
A-100000048	0801604158346	MURRAY / KYNAST	30	
A-100000049	0801604158353	MURRAY / KYNAST	54	
A-100000050	0801604158360	MURRAY / KYNAST	54	
A-100000051	-	MURRAY / KYNAST	54	
A-100000791	0801604158377	MURRAY / KYNAST	64	
A-37X11	0801604158391	MURRAY / MOUNTFIELD	53	
A-37X12	0801604158407	MURRAY / MOUNTFIELD	53	
A-37X22	0801604158414	MURRAY / MOUNTFIELD	47	
A-37X24	0801604158421	MURRAY / MOUNTFIELD	47	
A-37X26	0801604158438	MURRAY / MOUNTFIELD	47	
A-37X38	0801604158445	MURRAY / MOUNTFIELD	53	
A-37X40	0801604158452	MURRAY / MOUNTFIELD	53	
A-37X43	0801604158469	MURRAY / MOUNTFIELD	47	
A-37X45	0801604158476	MURRAY / MOUNTFIELD	53	
A-37X49	0801604158483	MURRAY / MOUNTFIELD	64	
A-37X57	0801604158490	MURRAY / MOUNTFIELD	47	
A-37X59	0801604158506	MURRAY / MOUNTFIELD	47	
A-37X61	0801604158513	MURRAY / MOUNTFIELD	53	
A-37X62	0801604158520	MURRAY / MOUNTFIELD	47	
A-37X63	0801604158537	MURRAY / MOUNTFIELD	47	
A-37X64	0801604158544	MURRAY / MOUNTFIELD	65	
A-37X65	0801604158551	MURRAY / MOUNTFIELD	53	
A-37X66	0801604158568	MURRAY / MOUNTFIELD	53	
A-37X68	-	MURRAY / MOUNTFIELD	53	
A-37X69	0801604158575	MURRAY / MOUNTFIELD	47	
A-37X70	0801604158582	MURRAY / MOUNTFIELD	47	
A-37X74	0801604158599	MURRAY / MOUNTFIELD	47	
A-37X75	0801604158605	MURRAY / MOUNTFIELD	47	
A-37X80	0801604158612	MURRAY / MOUNTFIELD	53	
A-37X81	0801604158629	MURRAY / MOUNTFIELD	53	
A-37x86	0801604158636	MURRAY / MOUNTFIELD	47	
A-37X87	0801604158643	MURRAY / MOUNTFIELD	53	
A-37X88	0801604158650	MURRAY / MOUNTFIELD	47	
A-37X92	0801604158667	MURRAY / MOUNTFIELD	47	
A-37X93	0801604158674	MURRAY / MOUNTFIELD	36	
A-MU690071	0801604158384	MURRAY IBEA	45	
A-27323	-	NOMA	36	
A-302289	-	NOMA	29	
A-308701	-	NOMA	29	
A-1830258	-	NOMA / AMF	29	
A-300142	-	NOMA / AMF	37	
A-300575	-	NOMA / AMF	53	
A-300680M	-	NOMA / AMF	36	
A-300842	-	NOMA / AMF	29	
A-305148	-	NOMA / AMF	36	
A-3526	0801604160257	NOMA / AMF	35	
A-45186	-	NOMA / AMF	36	
A-48085	-	NOMA / AMF	47	
A-54758	-	NOMA / AMF	53	
A-57556	-	NOMA / AMF	53	
A-300680	0801604158681	NOMA / AMF / DYNAMARK	36	
A-301935	0801604158698	NOMA / AMF / DYNAMARK	53	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-303241	-	NOMA / AMF / DYNAMARK	53	
A-314108	-	NOMA / AMF / DYNAMARK	29	
A-3145	-	NOMA / AMF / DYNAMARK	64	
A-318372	0801604158704	NOMA / AMF / DYNAMARK	36	
A-43066	0801604158711	NOMA / AMF / DYNAMARK	36	
A-48044	0801604158728	NOMA / AMF / DYNAMARK	28	
A-49878	0801604158735	NOMA / AMF / DYNAMARK	28	
A-57214	0801604158742	NOMA / AMF / DYNAMARK	36	
A-58170	0801604158759	NOMA / AMF / DYNAMARK	25	
A-7035500	-	NOMA / AMF / DYNAMARK	53	
A-5062967-02	-	PARTNER	40	
A-72321	0801604158766	PILOTE	36	
A-PP12001	-	POULAN	53	
A-PP12002	-	POULAN	53	
A-PP12008	-	POULAN	53	
A-PP12012	-	POULAN	53	
A-PP13006	-	POULAN	47	
A-PP13010	-	POULAN	53	
A-PP13011	-	POULAN	36	
A-13567A	0801604158773	PUBERT	53	
A-13598A	0801604158780	PUBERT	53	
A-18244	0801604158797	SABO	58	
A-18812	0801604158803	SABO	59	
A-19220	0801604158810	SABO	70	
A-19227	0801604158827	SABO	58	
A-29741	0801604158834	SABO	47	
A-30447	0801604158841	SABO	54	
A-48799	-	SABO	36	
A-48083	0801604158858	SCAG	36	
A-48084	-	SCAG	36	
A-48086	-	SCAG	36	
A-48087	0801604158865	SCAG	36	
A-481001	-	SCAG	36	
A-481460	-	SCAG	29	
A-481461	-	SCAG	35	
A-481498	-	SCAG	36	
A-481499	-	SCAG	36	
A-481557	-	SCAG	29	
A-481558	-	SCAG	29	
A-481749	-	SCAG	33	
A-481980	-	SCAG	36	
A-48202	-	SCAG	17	
A-48203	-	SCAG	36	
A-48204	0801604158872	SCAG	36	
A-48207	-	SCAG	36	
A-482091	-	SCAG	36	
A-482137	-	SCAG	36	
A-482138	-	SCAG	36	
A-482171	-	SCAG	34	
A-482281	-	SCAG	36	
A-482529	-	SCAG	36	
A-482530	-	SCAG	36	
A-48265	-	SCAG	36	
A-482652	-	SCAG	36	
A-482876	-	SCAG	29	
A-483001	-	SCAG	36	
A-483002	-	SCAG	36	
A-483157	-	SCAG	29	
A-483165	-	SCAG	29	
A-483172	-	SCAG	29	
A-483239	-	SCAG	29	
A-483240	-	SCAG	29	
A-483241	-	SCAG	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-483242	-	SCAG	36	
A-483243	-	SCAG	36	
A-483314	-	SCAG	36	
A-483325	-	SCAG	36	
A-483326	-	SCAG	36	
A-48607	-	SCAG	36	
A-48760	-	SCAG	36	
A-48854	-	SCAG	36	
A-48912	0801604158889	SCAG	36	
A-48996	-	SCAG	36	
A-102655X	-	SEARS	53	
A-106863X	-	SEARS	53	
A-111924X	-	SEARS	47	
A-124293X	-	SEARS	53	
A-131290X	-	SEARS	47	
A-1316861	-	SEARS	53	
A-133035	-	SEARS	53	
A-146527	-	SEARS	47	
A-160816	-	SEARS	64	
A-160855	-	SEARS	53	
A-161588	-	SEARS	53	
A-165632	-	SEARS	53	
A-165813	-	SEARS	53	
A-165897	-	SEARS	64	
A-166060	-	SEARS	64	
A-169790	-	SEARS	64	
A-170140	-	SEARS	53	
A-175436	-	SEARS	47	
A-179092	-	SEARS	36	
A-196853	-	SEARS	47	
A-199612	-	SEARS	47	
A-2614J	-	SEARS	64	
A-62828	-	SEARS	53	
A-74977	-	SEARS	64	
A-83691	-	SEARS	47	
A-850053	-	SEARS	47	
A-88074	-	SEARS	64	
A-9180R	-	SEARS	53	
A-272731202	-	SECO	53	
A-272731256	-	SECO	53	
A-272731254	-	SECO	53	
A-272211012	-	SECO	20	
A-272211005	-	SECO	20	
A-272211011	-	SECO	20	
A-272211006	-	SECO	20	
A-272731214	-	SECO	36	
A-272731251	-	SECO	29	
A-272731250	-	SECO	29	
A-272731239	-	SECO	52	
A-272731213	-	SECO	52	
A-272731192	-	SECO	52	
A-1732954	-	SIMPLICITY	47	
A-108209	-	SIMPLICITY	47	
A-108505	0801604158896	SIMPLICITY	47	
A-108508	0801604158902	SIMPLICITY	47	
A-1607967	-	SIMPLICITY	47	
A-1650502	-	SIMPLICITY	53	
A-1656960	-	SIMPLICITY	47	
A-1657044	-	SIMPLICITY	53	
A-1664789	-	SIMPLICITY	53	
A-1665024	-	SIMPLICITY	47	
A-1666698	0801604158919	SIMPLICITY	53	
A-1666801	-	SIMPLICITY	47	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-1668066	0801604158926	SIMPLICITY	47	
A-1670835	0801604158933	SIMPLICITY	53	
A-1672135	-	SIMPLICITY	53	
A-169178	0801604158940	SIMPLICITY	45	
A-1703466	0801604158957	SIMPLICITY	53	
A-1703836	0801604160264	SIMPLICITY	53	
A-1713515	-	SIMPLICITY	47	
A-1713549	-	SIMPLICITY	47	
A-1716854	0801604158964	SIMPLICITY	53	
A-1717397	-	SIMPLICITY	53	
A-1718017	-	SIMPLICITY	53	
A-1720036	-	SIMPLICITY	53	
A-1722039	-	SIMPLICITY	53	
A-1733051	-	SIMPLICITY	33	
A-1733507	-	SIMPLICITY	38	
A-176439	-	SIMPLICITY	47	
A-10749	0801604158971	SNAPPER	45	
A-11117	-	SNAPPER	39	
A-12353	0801604158988	SNAPPER	47	
A-12354	0801604158995	SNAPPER	60	
A-12508	0801604159008	SNAPPER	42	
A-14398	-	SNAPPER	53	
A-14525	0801604159015	SNAPPER	45	
A-14799	-	SNAPPER	53	
A-14800	0801604159022	SNAPPER	53	
A-17053	-	SNAPPER	17	
A-18236	0801604159039	SNAPPER	45	
A-22252	-	SNAPPER	45	
A-23416	-	SNAPPER	47	
A-23710	0801604159046	SNAPPER	47	
A-24497	-	SNAPPER	45	
A-24614	-	SNAPPER	47	
A-24618	-	SNAPPER	47	
A-24891	-	SNAPPER	17	
A-26305	-	SNAPPER	47	
A-27346	-	SNAPPER	36	
A-27347	-	SNAPPER	36	
A-28334	-	SNAPPER	53	
A-28619	-	SNAPPER	41	
A-28784	-	SNAPPER	41	
A-29101	-	SNAPPER	47	
A-29262	-	SNAPPER	36	
A-29308	-	SNAPPER	47	
A-29584	-	SNAPPER	53	
A-29604	-	SNAPPER	64	
A-29641	-	SNAPPER	53	
A-29907	-	SNAPPER	36	
A-35710	-	SNAPPER	36	
A-36585	-	SNAPPER	53	
A-42735	-	SNAPPER	36	
A-42813	-	SNAPPER	36	
A-43844	-	SNAPPER	45	
A-44637	-	SNAPPER	36	
A-5023255	-	SNAPPER	53	
A-62465	-	SNAPPER	53	
A-7010749	-	SNAPPER	45	
A-7013937	-	SNAPPER	36	
A-7013939	-	SNAPPER	36	
A-7022252	-	SNAPPER	45	
A-7024750	-	SNAPPER	47	
A-7029101	-	SNAPPER	47	
A-7029261	-	SNAPPER	30	
A-7075706	-	SNAPPER	53	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-7103789	-	SNAPPER	53	
A-76496	-	SNAPPER	36	
A-76498	-	SNAPPER	29	
A-76680	-	SNAPPER	29	
A-79181	-	SNAPPER	45	
A-79186	-	SNAPPER	47	
A-79776	-	SNAPPER	53	
A-79779	-	SNAPPER	36	
A-79781	-	SNAPPER	36	
A-79934	-	SNAPPER	47	
A-880268	-	SNAPPER	64	
A-9585-0155-01	-	STIGA	47	
A-9585-0052-00	-	STIGA	52	
A-135061509/0	-	STIGA	58	
A-135065605/0	-	STIGA	20	
A-135062020/1	-	STIGA	52	
A-135062019/0	-	STIGA	52	
A-9585-0161-01	-	STIGA	37	
A-1111-9051-01	-	STIGA	55	
A-1111-9052-01	-	STIGA	55	
A-1111-9053-01	-	STIGA	55	
A-1111-9057-01	-	STIGA	55	
A-1111-9058-01	-	STIGA	47	
A-1111-9060-01	-	STIGA	55	
A-1111-9061-01	-	STIGA	58	
A-1132-2211-01	-	STIGA	36	
A-1134-9006-01	-	STIGA	54	
A-1134-9007-01	-	STIGA	54	
A-1134-9008-01	-	STIGA	36	
A-1134-9009-01	-	STIGA	53	
A-1134-9010-01	-	STIGA	53	
A-1134-9011-01	-	STIGA	34	
A-1134-9012-01	-	STIGA	41	
A-1134-9013-01	-	STIGA	53	
A-1134-9014-01	-	STIGA	47	
A-1134-9015-01	0801604160271	STIGA	36	
A-1134-9016-01	-	STIGA	36	
A-1134-9017-01	-	STIGA	53	
A-1134-9018-01	-	STIGA	53	
A-1134-9019-01	-	STIGA	29	
A-1134-9020-01	-	STIGA	29	
A-1134-9029-01	-	STIGA	41	
A-1134-9031-01	-	STIGA	47	
A-1134-9032-01	0801604159053	STIGA	53	
A-1134-9033-01	-	STIGA	53	
A-1134-9034-01	-	STIGA	36	
A-1134-9035-01	-	STIGA	53	
A-1134-9036-01	-	STIGA	53	
A-1134-9041-01	-	STIGA	36	
A-1134-9043-01	-	STIGA	47	
A-1134-9045-01	0801604160288	STIGA	37	
A-1134-9047-01	-	STIGA	32	
A-1134-9055-01	-	STIGA	37	
A-1134-9058-01	0801604160295	STIGA	34	
A-1134-9067-01	0801604160301	STIGA	37	
A-1134-9068-01	-	STIGA	47	
A-1134-9069-01	0801604159060	STIGA	47	
A-1134-9075-01	-	STIGA	36	
A-1134-9076-01	-	STIGA	47	
A-1134-9078-01	0801604159077	STIGA	36	
A-1134-9079-01	0801604160318	STIGA	37	
A-1134-9085-01	-	STIGA	34	
A-1134-9087-01	-	STIGA	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-1134-9089-01	-	STIGA	53	
A-1134-9097-01	0801604160325	STIGA	26	
A-1134-9098-01	0801604160332	STIGA	31	
A-1134-9100-01	-	STIGA	47	
A-1134-9103-01	-	STIGA	47	
A-1134-9106-01	0801604159084	STIGA	47	
A-1134-9108-01	0801604160349	STIGA	47	
A-1134-9109-01	-	STIGA	47	
A-1134-9112-01	0801604159091	STIGA	47	
A-1134-9134-01	0801604160356	STIGA	64	
A-1134-9135-01	0801604159107	STIGA	47	
A-1134-9136-01	0801604159114	STIGA	64	
A-1134-9146-01	-	STIGA	53	
A-1134-9147-01	0801604159121	STIGA	47	
A-1134-9148-01	0801604160363	STIGA	47	
A-1134-9149-01	-	STIGA	47	
A-1134-9150-01	0801604160370	STIGA	47	
A-1134-9151-01	-	STIGA	47	
A-1134-9152-01	-	STIGA	47	
A-1134-9164-01	-	STIGA	53	
A-1134-9165-01	-	STIGA	53	
A-1134-9167-01	-	STIGA	47	
A-1134-9168-01	-	STIGA	41	
A-1134-9169-01	-	STIGA	47	
A-1134-9170-01	-	STIGA	47	
A-1134-9172-01	-	STIGA	41	
A-1151-0128-11	-	STIGA	58	
A-1482-9001-01	0801604159138	STIGA	64	
A-1621-0015-01	-	STIGA	36	
A-1812-9008-01	-	STIGA	51	
A-1812-9009-01	-	STIGA	51	
A-1812-9017-01	-	STIGA	37	
A-1812-9023-01	-	STIGA	41	
A-1812-9026-01	-	STIGA	41	
A-41219585007200	-	STIGA	47	
A-6361 704 2100B	-	STIGA	47	
A-1134-9071-01	-	STIGA	36	
A-9585-0019-00	0801604159145	STIGA	64	
A-9585-0046-00	-	STIGA	64	
A-9585-0047-00	-	STIGA	64	
A-9585-0067-00	-	STIGA	36	
A-9585-0070-00	-	STIGA	47	
A-9585-0071-00	-	STIGA	22	
A-9585-0073-00	-	STIGA	36	
A-9585-0075-00	0801604159152	STIGA	53	
A-9585-0080-00	-	STIGA	47	
A-9585-0081-00	-	STIGA	36	
A-9585-0083-00	-	STIGA	53	
A-9585-0088-00	-	STIGA	32	
A-9585-0089-00	-	STIGA	37	
A-9585-0091-01	-	STIGA	34	
A-9585-0122-00	-	STIGA	47	
A-9585-0127-01	-	STIGA	47	
A-9585-0128-01	0801604159169	STIGA	47	
A-9585-0129-01	-	STIGA	36	
A-9585-0130-01	-	STIGA	36	
A-9585-0131-01	0801604160387	STIGA	22	
A-9585-0132-01	-	STIGA	23	
A-9585-0134-01	-	STIGA	47	
A-9585-0138-01	-	STIGA	36	
A-9585-0142-01	-	STIGA	36	
A-9585-0154-01	0801604160394	STIGA	47	
A-9585-0160-01	-	STIGA	47	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-9585-0164-01	0801604160400	STIGA	37	
A-9585-0165-01	0801604160417	STIGA	38	
A-9585-0171-01	0801604159176	STIGA	47	
A-9585-0174-01	0801604159183	STIGA	64	
A-9585-0175-01	0801604159190	STIGA	47	
A-9585-0176-01	0801604159206	STIGA	64	
A-9585-0188-01	0801604159213	STIGA	47	
A-9585-0197-01	-	STIGA	47	
A-9585-0199-01	-	STIGA	47	
A-9585-0200-01	-	STIGA	47	
A-9585-0201-01	-	STIGA	47	
A-9585-0202-01	-	STIGA	47	
A-9585-0204-01	-	STIGA	53	
A-9585-0209-01	-	STIGA	53	
A-9585-0212-01	-	STIGA	53	
A-9585-0214-01	-	STIGA	42	
A-9585-0215-01	-	STIGA	47	
A-9585-0216-01	-	STIGA	42	
A-9585-0217-01	-	STIGA	47	
A-9585-0219-01	-	STIGA	47	
A-9585-0120-00	-	STIGA	53	
A-9490 000 7850	-	STIHL	54	
A-9490 000 7851	-	STIHL	54	
A-9490 000 7891	-	STIHL	47	
A-9490 000 7900	-	STIHL	48	
A-9490 000 7901A	-	STIHL	48	
A-9490 000 7915	-	STIHL	37	
A-9490 000 7920	-	STIHL	37	
A-9585-0050-00	-	STIHL	36	
A-9585-0087-00	0801604159220	STIHL	37	
A-HB010043	0801604159237	TIELBURGER	53	
A-1062173	-	TORO	53	
A-1154669	-	TORO	64	
A-1171018	-	TORO	64	
A-1193309	-	TORO	53	
A-1193321	-	TORO	53	
A-1198821	-	TORO	53	
A-210890	0801604159244	TORO	36	
A-559300	-	TORO	39	
A-886280	-	TORO	53	
A-921043	-	TORO	64	
A-980710	-	TORO	36	
A-102741	0801604159251	TORO / WHEEL HORSE	47	
A-102742	0801604159268	TORO / WHEEL HORSE	53	
A-1046397	-	TORO / WHEEL HORSE	45	
A-1046398	-	TORO / WHEEL HORSE	36	
A-1048120	-	TORO / WHEEL HORSE	36	
A-1048152	-	TORO / WHEEL HORSE	17	
A-105-0886	-	TORO / WHEEL HORSE	36	
A-1055649	-	TORO / WHEEL HORSE	53	
A-1055668	-	TORO / WHEEL HORSE	36	
A-1057790	-	TORO / WHEEL HORSE	36	
A-1058783	0801604159275	TORO / WHEEL HORSE	36	
A-106125	-	TORO / WHEEL HORSE	53	
A-1067369	0801604159282	TORO / WHEEL HORSE	36	
A-109909	-	TORO / WHEEL HORSE	47	
A-1106774	-	TORO / WHEEL HORSE	36	
A-1106871	-	TORO / WHEEL HORSE	53	
A-1106892	-	TORO / WHEEL HORSE	53	
A-1120317	-	TORO / WHEEL HORSE	47	
A-1140454	-	TORO / WHEEL HORSE	53	
A-114200	-	TORO / WHEEL HORSE	47	
A-114202	-	TORO / WHEEL HORSE	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-1144420	-	TORO / WHEEL HORSE	36	
A-1145858	-	TORO / WHEEL HORSE	36	
A-1154972	-	TORO / WHEEL HORSE	36	
A-1177325	-	TORO / WHEEL HORSE	36	
A-1177648	-	TORO / WHEEL HORSE	47	
A-1179607	-	TORO / WHEEL HORSE	53	
A-1190174	-	TORO / WHEEL HORSE	47	
A-1198819	-	TORO / WHEEL HORSE	53	
A-1198820	-	TORO / WHEEL HORSE	53	
A-1323631	-	TORO / WHEEL HORSE	17	
A-1323737	-	TORO / WHEEL HORSE	36	
A-1403163	-	TORO / WHEEL HORSE	27	
A-1403164	-	TORO / WHEEL HORSE	30	
A-1594	-	TORO / WHEEL HORSE	53	
A-269671	-	TORO / WHEEL HORSE	36	
A-271160	0801604159299	TORO / WHEEL HORSE	45	
A-379080	-	TORO / WHEEL HORSE	47	
A-420884	-	TORO / WHEEL HORSE	35	
A-446260	0801604159305	TORO / WHEEL HORSE	45	
A-448990	0801604159312	TORO / WHEEL HORSE	17	
A-471410	-	TORO / WHEEL HORSE	53	
A-471420	-	TORO / WHEEL HORSE	47	
A-5023256	-	TORO / WHEEL HORSE	53	
A-514290	0801604159329	TORO / WHEEL HORSE	17	
A-514291	-	TORO / WHEEL HORSE	17	
A-5364	0801604159336	TORO / WHEEL HORSE	55	
A-539660	0801604159343	TORO / WHEEL HORSE	17	
A-542750	-	TORO / WHEEL HORSE	36	
A-54505	0801604160424	TORO / WHEEL HORSE	64	
A-557660	-	TORO / WHEEL HORSE	36	
A-660210	-	TORO / WHEEL HORSE	64	
A-671390	-	TORO / WHEEL HORSE	36	
A-6738	-	TORO / WHEEL HORSE	47	
A-696220	0801604159350	TORO / WHEEL HORSE	36	
A-710232	0801604159367	TORO / WHEEL HORSE	45	
A-715381	0801604160431	TORO / WHEEL HORSE	64	
A-741330	-	TORO / WHEEL HORSE	36	
A-7478	-	TORO / WHEEL HORSE	36	
A-759010	-	TORO / WHEEL HORSE	47	
A-822390	-	TORO / WHEEL HORSE	45	
A-824110	-	TORO / WHEEL HORSE	53	
A-826420	-	TORO / WHEEL HORSE	36	
A-8411	-	TORO / WHEEL HORSE	36	
A-844390	-	TORO / WHEEL HORSE	36	
A-861960	-	TORO / WHEEL HORSE	52	
A-861970	-	TORO / WHEEL HORSE	19	
A-88-6250	0801604160448	TORO / WHEEL HORSE	47	
A-912258	0801604159374	TORO / WHEEL HORSE	64	
A-925588	0801604160455	TORO / WHEEL HORSE	45	
A-933884	0801604159381	TORO / WHEEL HORSE	53	
A-938457	-	TORO / WHEEL HORSE	36	
A-951579	-	TORO / WHEEL HORSE	64	
A-980710A	-	TORO / WHEEL HORSE	36	
A-983764	-	TORO / WHEEL HORSE	36	
A-983780	-	TORO / WHEEL HORSE	36	
A-991597	0801604160462	TORO / WHEEL HORSE	64	
A-993904	0801604159398	TORO / WHEEL HORSE	36	
A-994627	0801604159404	TORO / WHEEL HORSE	36	
A-994647	0801604159411	TORO / WHEEL HORSE	36	
A-1764007	-	TROY	36	
A-6170 704 2111	-	VIKING	59	
A-6170 704 2116	-	VIKING	59	
A-6241 711 5010-A	-	VIKING	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-6290 704 2110-A	-	VIKING	59	
A-6380 704 2101-A	-	VIKING	36	
A-6380 704 2110-A04	-	VIKING	33	
A-5230	-	WALKER	32	
A-5234	-	WALKER	41	
A-6231	-	WALKER	54	
A-6232	-	WALKER	53	
A-7230	-	WALKER	17	
A-7230A	-	WALKER	17	
A-7231	0801604159428	WALKER	54	
A-7234	0801604159435	WALKER	54	
A-7248	-	WALKER	39	
A-7248W	-	WALKER	39	
A-8230	-	WALKER	17	
A-6250-1	-	WALKER	48	
A-0039005	-	WOLF	30	
A-0039207	-	WOLF	54	
A-0039215	-	WOLF	54	
A-10676	-	WOODS	36	
A-10859	-	WOODS	36	
A-10864	-	WOODS	36	
A-11466	-	WOODS	36	
A-13425	-	WOODS	36	
A-13453	-	WOODS	36	
A-13560	-	WOODS	53	
A-1469	-	WOODS	36	
A-15184	-	WOODS	13	
A-1532	-	WOODS	47	
A-15415A	-	WOODS	36	
A-15624	-	WOODS	36	
A-1570	-	WOODS	47	
A-16099	-	WOODS	47	
A-18186	-	WOODS	36	
A-18372	-	WOODS	36	
A-18440	-	WOODS	36	
A-1880	-	WOODS	47	
A-18879	-	WOODS	36	
A-18990	-	WOODS	20	
A-20644	-	WOODS	36	
A-21447	-	WOODS	36	
A-21510W	-	WOODS	53	
A-221	-	WOODS	53	
A-222	-	WOODS	36	
A-23033	-	WOODS	36	
A-23560	-	WOODS	53	
A-23915	-	WOODS	36	
A-23933	-	WOODS	36	
A-23943	-	WOODS	36	
A-23944	-	WOODS	36	
A-23990	-	WOODS	36	
A-24102	-	WOODS	29	
A-26354	-	WOODS	36	
A-26355	-	WOODS	36	
A-26839	-	WOODS	36	
A-26840W	-	WOODS	36	
A-27173	-	WOODS	36	
A-27652	-	WOODS	36	
A-27875	-	WOODS	36	
A-27920	-	WOODS	36	
A-28167	-	WOODS	36	
A-28975	-	WOODS	36	
A-29010	-	WOODS	36	
A-29229	-	WOODS	36	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request

PIX SPECIAL LAWN & GARDEN BELTS: A-

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	EAN Code	To Suit	MOQ (Pieces)	Price Euro (€)
A-29344	-	WOODS	29	
A-29519	-	WOODS	29	
A-29523	-	WOODS	36	
A-30435	-	WOODS	36	
A-30587	-	WOODS	36	
A-31615	-	WOODS	36	
A-31666	-	WOODS	36	
A-31700	-	WOODS	36	
A-31720	-	WOODS	36	
A-31721	-	WOODS	36	
A-31748	-	WOODS	36	
A-32650	-	WOODS	36	
A-32684	-	WOODS	36	
A-32855	-	WOODS	36	
A-32906	-	WOODS	36	
A-32970	-	WOODS	36	
A-33050	-	WOODS	36	
A-33056	-	WOODS	36	
A-33105	-	WOODS	36	
A-33652	-	WOODS	36	
A-33710	-	WOODS	36	
A-34517	-	WOODS	36	
A-3492	-	WOODS	36	
A-35135	-	WOODS	53	
A-35162	-	WOODS	36	
A-35252	-	WOODS	36	
A-35433	-	WOODS	41	
A-3546	-	WOODS	36	
A-35543	-	WOODS	53	
A-35583	-	WOODS	53	
A-36365	-	WOODS	36	
A-36367	-	WOODS	36	
A-36371	-	WOODS	17	
A-36496	-	WOODS	53	
A-3652	-	WOODS	36	
A-37051	-	WOODS	33	
A-4152	-	WOODS	36	
A-5082	-	WOODS	47	
A-51250	-	WOODS	32	
A-51295	-	WOODS	18	
A-51315	-	WOODS	13	
A-51344	-	WOODS	13	
A-51356	-	WOODS	32	
A-53418	-	WOODS	36	
A-5711	-	WOODS	36	
A-63412	-	WOODS	36	
A-66503	-	WOODS	36	
A-6814	-	WOODS	29	
A-6857	-	WOODS	29	
A-70003	-	WOODS	29	
A-70102	-	WOODS	29	
A-70132	-	WOODS	29	
A-70197	-	WOODS	29	
A-70341	-	WOODS	41	
A-70580	-	WOODS	32	
A-70581	-	WOODS	29	
A-70983	-	WOODS	29	
A-71506	-	WOODS	29	
A-71526	-	WOODS	25	
A-71579	-	WOODS	53	
A-71616	-	WOODS	29	
A-71838	-	WOODS	32	
A-71879	-	WOODS	29	
A-72818	-	WOODS	41	
A-73263	-	WOODS	34	

- Unlisted sizes: Prices on request
- Non standard stock items are available upon request