

PIX - PowerWare®

Pulleys and Bushes



Pulleys

- Manufactured from grey cast iron
- Pulley & pulley groove specification conforms to IS 3142 & ISO 4183 standards
- Ease of installation and removal
- Facilitates easy selection of different bore and key-way requirements
- Statically balanced

Bushes

- Ease of installation and removal
- Facilities interchangeability



TAPER LOCK "SPZ" SECTION PULLEYS

Product code	Type	Size	Groove	Bush size	Weight (kgs)	Price Euro (€)	Product code	Type	Size	Groove	Bush size	Weight (kgs)	Price Euro (€)
TLP SPZ 63-01 1108	SPZ	63	1	1108	0.23		TLP SPZ 140-01 1610	SPZ	140	1	1610	1.65	
TLP SPZ 63-02 1108	SPZ	63	2	1108	0.30		TLP SPZ 140-02 1610	SPZ	140	2	1610	2.22	
TLP SPZ 67-01 1108	SPZ	67	1	1108	0.30		TLP SPZ 140-03 2012	SPZ	140	3	2012	2.70	
TLP SPZ 67-02 1108	SPZ	67	2	1108	0.36		TLP SPZ 140-04 2012	SPZ	140	4	2012	3.00	
TLP SPZ 71-01 1108	SPZ	71	1	1108	0.35		TLP SPZ 150-01 1610	SPZ	150	1	1610	1.92	
TLP SPZ 71-02 1108	SPZ	71	2	1108	0.45		TLP SPZ 150-02 2012	SPZ	150	2	2012	2.74	
TLP SPZ 71-03 1108	SPZ	71	3	1108	0.53		TLP SPZ 150-03 2012	SPZ	150	3	2012	3.16	
TLP SPZ 75-01 1108	SPZ	75	1	1108	0.40		TLP SPZ 150-04 2517	SPZ	150	4	2517	3.75	
TLP SPZ 75-02 1210	SPZ	75	2	1210	0.41		TLP SPZ 160-01 1610	SPZ	160	1	1610	2.17	
TLP SPZ 75-03 1210	SPZ	75	3	1210	0.56		TLP SPZ 160-02 2012	SPZ	160	2	2012	3.23	
TLP SPZ 80-01 1210	SPZ	80	1	1210	0.49		TLP SPZ 160-03 2012	SPZ	160	3	2012	3.77	
TLP SPZ 80-02 1210	SPZ	80	2	1210	0.52		TLP SPZ 160-04 2517	SPZ	160	4	2517	4.45	
TLP SPZ 80-03 1210	SPZ	80	3	1210	0.70		TLP SPZ 170-01 1610	SPZ	170	1	1610	2.45	
TLP SPZ 80-04 1210	SPZ	80	4	1210	0.87		TLP SPZ 170-02 2012	SPZ	170	2	2012	3.82	
TLP SPZ 85-01 1210	SPZ	85	1	1210	0.60		TLP SPZ 170-03 2012	SPZ	170	3	2012	4.38	
TLP SPZ 85-02 1610	SPZ	85	2	1610	0.50		TLP SPZ 180-01 1610	SPZ	180	1	1610	1.90	
TLP SPZ 85-03 1610	SPZ	85	3	1610	0.65		TLP SPZ 180-02 2012	SPZ	180	2	2012	3.18	
TLP SPZ 90-01 1210	SPZ	90	1	1210	0.70		TLP SPZ 180-03 2012	SPZ	180	3	2012	3.36	
TLP SPZ 90-02 1610	SPZ	90	2	1610	0.63		TLP SPZ 180-04 2517	SPZ	180	4	2517	6.20	
TLP SPZ 90-03 1610	SPZ	90	3	1610	0.84		TLP SPZ 190-01 1610	SPZ	190	1	1610	2.00	
TLP SPZ 90-04 1610	SPZ	90	4	1610	1.08		TLP SPZ 190-02 2012	SPZ	190	2	2012	3.45	
TLP SPZ 95-01 1210	SPZ	95	1	1210	0.80		TLP SPZ 190-03 2012	SPZ	190	3	2012	3.95	
TLP SPZ 95-02 1610	SPZ	95	2	1610	0.74		TLP SPZ 200-01 2012	SPZ	200	1	2012	2.25	
TLP SPZ 95-03 1610	SPZ	95	3	1610	0.99		TLP SPZ 200-02 2012	SPZ	200	2	2012	4.20	
TLP SPZ 95-04 1610	SPZ	95	4	1610	1.21		TLP SPZ 200-03 2012	SPZ	200	3	2012	4.15	
TLP SPZ 100-01 1210	SPZ	100	1	1210	0.90		TLP SPZ 224-01 2012	SPZ	224	1	2012	2.93	
TLP SPZ 100-02 1610	SPZ	100	2	1610	0.90		TLP SPZ 224-02 2012	SPZ	224	2	2012	3.86	
TLP SPZ 100-03 1610	SPZ	100	3	1610	1.12		TLP SPZ 224-03 2012	SPZ	224	3	2012	4.68	
TLP SPZ 100-04 1610	SPZ	100	4	1610	1.38		TLP SPZ 250-01 2012	SPZ	250	1	2012	3.37	
TLP SPZ 106-01 1610	SPZ	106	1	1610	0.92		TLP SPZ 250-02 2012	SPZ	250	2	2012	4.22	
TLP SPZ 106-02 1610	SPZ	106	2	1610	1.05		TLP SPZ 250-03 2012	SPZ	250	3	2012	5.35	
TLP SPZ 106-03 1610	SPZ	106	3	1610	1.35		TLP SPZ 280-01 2012	SPZ	280	1	2012	3.70	
TLP SPZ 106-04 1610	SPZ	106	4	1610	1.60		TLP SPZ 280-02 2012	SPZ	280	2	2012	4.85	
TLP SPZ 112-01 1610	SPZ	112	1	1610	1.03		TLP SPZ 280-03 2517	SPZ	280	3	2517	6.53	
TLP SPZ 112-02 1610	SPZ	112	2	1610	1.25		TLP SPZ 280-04 2517	SPZ	280	4	2517	9.40	
TLP SPZ 112-03 2012	SPZ	112	3	2012	1.37		TLP SPZ 315-01 2012	SPZ	315	1	2012	4.32	
TLP SPZ 112-04 2012	SPZ	112	4	2012	1.65		TLP SPZ 315-02 2012	SPZ	315	2	2012	5.49	
TLP SPZ 118-01 1610	SPZ	118	1	1610	1.16		TLP SPZ 315-03 2517	SPZ	315	3	2517	7.30	
TLP SPZ 118-02 1610	SPZ	118	2	1610	1.45		TLP SPZ 355-02 2012	SPZ	355	2	2012	6.19	
TLP SPZ 118-03 2012	SPZ	118	3	2012	1.65		TLP SPZ 355-03 2517	SPZ	355	3	2517	8.86	
TLP SPZ 125-01 1610	SPZ	125	1	1610	1.30		TLP SPZ 400-02 2517	SPZ	400	2	2517	8.95	
TLP SPZ 125-02 1610	SPZ	125	2	1610	1.65		TLP SPZ 400-03 2517	SPZ	400	3	2517	10.50	
TLP SPZ 125-03 2012	SPZ	125	3	2012	1.90								
TLP SPZ 132-01 1610	SPZ	132	1	1610	1.45								
TLP SPZ 132-02 1610	SPZ	132	2	1610	1.90								
TLP SPZ 132-03 2012	SPZ	132	3	2012	2.27								



TAPER LOCK "SPA" SECTION PULLEYS

Product code	Type	Size	Groove	Bush size	Weight (kgs)	Price Euro (€)	Product code	Type	Size	Groove	Bush size	Weight (kgs)	Price Euro (€)
TLP SPA 63-01 1008	SPA	63	1	1008	0.26		TLP SPA 160-01 1610	SPA	160	1	1610	2.50	
TLP SPA 63-02 1008	SPA	63	2	1008	0.43		TLP SPA 160-02 2012	SPA	160	2	2012	3.50	
TLP SPA 67-01 1108	SPA	67	1	1108	0.28		TLP SPA 160-03 2517	SPA	160	3	2517	4.33	
TLP SPA 67-02 1108	SPA	67	2	1108	0.44		TLP SPA 160-04 2517	SPA	160	4	2517	4.90	
TLP SPA 71-01 1108	SPA	71	1	1108	0.35		TLP SPA 170-01 1610	SPA	170	1	1610	2.85	
TLP SPA 71-02 1108	SPA	71	2	1108	0.51		TLP SPA 170-02 2012	SPA	170	2	2012	4.10	
TLP SPA 75-01 1108	SPA	75	1	1108	0.40		TLP SPA 170-03 2517	SPA	170	3	2517	5.10	
TLP SPA 75-02 1108	SPA	75	2	1108	0.59		TLP SPA 170-05 2517	SPA	170	5	2517	6.45	
TLP SPA 75-03 1108	SPA	75	3	1108	0.80		TLP SPA 180-01 1610	SPA	180	1	1610	2.21	
TLP SPA 80-01 1210	SPA	80	1	1210	0.46		TLP SPA 180-02 2012	SPA	180	2	2012	3.54	
TLP SPA 80-02 1210	SPA	80	2	1210	0.55		TLP SPA 180-03 2517	SPA	180	3	2517	6.00	
TLP SPA 80-03 1210	SPA	80	3	1210	0.80		TLP SPA 180-04 2517	SPA	180	4	2517	6.65	
TLP SPA 85-01 1210	SPA	85	1	1210	0.55		TLP SPA 190-01 1610	SPA	190	1	1610	2.31	
TLP SPA 85-02 1210	SPA	85	2	1210	0.70		TLP SPA 190-02 2012	SPA	190	2	2012	3.84	
TLP SPA 85-03 1210	SPA	85	3	1210	0.94		TLP SPA 190-03 2517	SPA	190	3	2517	6.92	
TLP SPA 90-01 1210	SPA	90	1	1210	0.65		TLP SPA 200-01 2012	SPA	200	1	2012	3.00	
TLP SPA 90-02 1610	SPA	90	2	1610	0.70		TLP SPA 200-02 2517	SPA	200	2	2517	4.70	
TLP SPA 90-03 1610	SPA	90	3	1610	0.95		TLP SPA 200-03 2517	SPA	200	3	2517	6.15	
TLP SPA 90-04 1615	SPA	90	4	1615	1.25		TLP SPA 200-04 3020	SPA	200	4	3020	8.10	
TLP SPA 95-01 1210	SPA	95	1	1210	0.79		TLP SPA 200-05 3020	SPA	200	5	3020	8.94	
TLP SPA 95-02 1610	SPA	95	2	1610	0.83		TLP SPA 212-02 2517	SPA	212	2	2517	4.93	
TLP SPA 95-03 1610	SPA	95	3	1610	1.12		TLP SPA 212-03 2517	SPA	212	3	2517	6.03	
TLP SPA 100-01 1610	SPA	100	1	1610	0.75		TLP SPA 224-01 2012	SPA	224	1	2012	3.33	
TLP SPA 100-02 1610	SPA	100	2	1610	1.00		TLP SPA 224-02 2517	SPA	224	2	2517	5.17	
TLP SPA 100-03 1610	SPA	100	3	1610	1.30		TLP SPA 224-03 2517	SPA	224	3	2517	6.40	
TLP SPA 100-04 1615	SPA	100	4	1615	1.75		TLP SPA 224-04 3020	SPA	224	4	3020	11.06	
TLP SPA 100-05 1615	SPA	100	5	1615	2.06		TLP SPA 236-02 2517	SPA	236	2	2517	5.20	
TLP SPA 106-01 1610	SPA	106	1	1610	0.92		TLP SPA 236-04 3020	SPA	236	4	3020	9.85	
TLP SPA 106-02 1610	SPA	106	2	1610	1.15		TLP SPA 250-01 2012	SPA	250	1	2012	3.73	
TLP SPA 106-03 1610	SPA	106	3	1610	1.52		TLP SPA 250-02 2517	SPA	250	2	2517	5.82	
TLP SPA 106-04 2012	SPA	106	4	2012	1.66		TLP SPA 250-03 2517	SPA	250	3	2517	7.25	
TLP SPA 112-01 1610	SPA	112	1	1610	1.06		TLP SPA 280-01 2012	SPA	280	1	2012	4.08	
TLP SPA 112-02 1610	SPA	112	2	1610	1.39		TLP SPA 280-02 2517	SPA	280	2	2517	6.45	
TLP SPA 112-03 2012	SPA	112	3	2012	1.57		TLP SPA 280-03 2517	SPA	280	3	2517	8.15	
TLP SPA 112-04 2012	SPA	112	4	2012	1.90		TLP SPA 300-01 2012	SPA	300	1	2012	4.62	
TLP SPA 118-01 1610	SPA	118	1	1610	1.20		TLP SPA 300-02 2517	SPA	300	2	2517	6.95	
TLP SPA 118-02 1610	SPA	118	2	1610	1.57		TLP SPA 300-03 3020	SPA	300	3	3020	10.04	
TLP SPA 118-03 2012	SPA	118	3	2012	1.85		TLP SPA 300-04 3020	SPA	300	4	3020	12.25	
TLP SPA 118-04 2012	SPA	118	4	2012	2.22		TLP SPA 315-01 2012	SPA	315	1	2012	4.75	
TLP SPA 125-01 1610	SPA	125	1	1610	1.41		TLP SPA 315-02 2517	SPA	315	2	2517	7.34	
TLP SPA 125-02 1610	SPA	125	2	1610	1.85		TLP SPA 315-03 3020	SPA	315	3	3020	11.32	
TLP SPA 125-03 2012	SPA	125	3	2012	2.20		TLP SPA 355-02 2517	SPA	355	2	2517	8.35	
TLP SPA 125-04 2012	SPA	125	4	2012	2.63		TLP SPA 355-03 3020	SPA	355	3	3020	12.75	
TLP SPA 125-05 2012	SPA	125	5	2012	3.10		TLP SPA 400-01 2012	SPA	400	1	2012	6.40	
TLP SPA 132-01 1610	SPA	132	1	1610	1.60		TLP SPA 400-02 2517	SPA	400	2	2517	10.20	
TLP SPA 132-02 2012	SPA	132	2	2012	2.10		TLP SPA 400-03 3020	SPA	400	3	3020	14.46	
TLP SPA 132-03 2012	SPA	132	3	2012	2.53		TLP SPA 425-03 3020	SPA	425	3	3020	15.30	
TLP SPA 132-05 2517	SPA	132	5	2517	3.24		TLP SPA 450-03 3020	SPA	450	3	3020	16.70	
TLP SPA 140-01 1610	SPA	140	1	1610	1.85								
TLP SPA 140-02 2012	SPA	140	2	2012	2.25								
TLP SPA 140-03 2517	SPA	140	3	2517	2.87								
TLP SPA 140-04 2517	SPA	140	4	2517	3.35								
TLP SPA 150-01 1610	SPA	150	1	1610	2.15								
TLP SPA 150-02 2012	SPA	150	2	2012	3.00								
TLP SPA 150-03 2517	SPA	150	3	2517	3.55								
TLP SPA 150-04 2517	SPA	150	4	2517	4.05								
TLP SPA 150-05 2517	SPA	150	5	2517	4.62								

• Intermediate and larger sizes: Price on request

PIX-PowerWare®



TAPER LOCK "SPB" SECTION PULLEYS

Product code	Type	Size	Groove	Bush size	Weight (kgs)	Price Euro (€)	Product code	Type	Size	Groove	Bush size	Weight (kgs)	Price Euro (€)
TLP SPB 80-02 1108	SPB	80	2	1108	0.86		TLP SPB 212-01 2012	SPB	212	1	2012	3.75	
TLP SPB 100-01 1610	SPB	100	1	1610	0.76		TLP SPB 212-02 2517	SPB	212	2	2517	6.05	
TLP SPB 100-02 1610	SPB	100	2	1610	1.16		TLP SPB 212-03 2517	SPB	212	3	2517	7.37	
TLP SPB 100-03 1610	SPB	100	3	1610	1.65		TLP SPB 212-04 3020	SPB	212	4	3020	10.60	
TLP SPB 106-01 1610	SPB	106	1	1610	0.90		TLP SPB 212-05 3020	SPB	212	5	3020	11.80	
TLP SPB 106-02 1610	SPB	106	2	1610	1.35		TLP SPB 212-06 3535	SPB	212	6	3535	14.95	
TLP SPB 112-01 1610	SPB	112	1	1610	1.10		TLP SPB 224-01 2012	SPB	224	1	2012	4.00	
TLP SPB 112-02 1610	SPB	112	2	1610	1.60		TLP SPB 224-02 2517	SPB	224	2	2517	5.84	
TLP SPB 112-03 1610	SPB	112	3	1610	2.08		TLP SPB 224-03 2517	SPB	224	3	2517	7.47	
TLP SPB 118-01 1610	SPB	118	1	1610	1.25		TLP SPB 224-04 3020	SPB	224	4	3020	12.10	
TLP SPB 118-02 1610	SPB	118	2	1610	1.83		TLP SPB 224-05 3020	SPB	224	5	3020	13.50	
TLP SPB 118-03 1610	SPB	118	3	1610	2.35		TLP SPB 236-01 2012	SPB	236	1	2012	4.10	
TLP SPB 125-01 1610	SPB	125	1	1610	1.50		TLP SPB 236-02 2517	SPB	236	2	2517	6.28	
TLP SPB 125-02 2012	SPB	125	2	2012	2.20		TLP SPB 236-03 2517	SPB	236	3	2517	7.95	
TLP SPB 125-03 2012	SPB	125	3	2012	2.60		TLP SPB 236-04 3020	SPB	236	4	3020	13.80	
TLP SPB 125-04 2012	SPB	125	4	2012	3.27		TLP SPB 236-05 3535	SPB	236	5	3535	19.08	
TLP SPB 132-01 1610	SPB	132	1	1610	1.70		TLP SPB 236-06 3535	SPB	236	6	3535	20.25	
TLP SPB 132-02 2012	SPB	132	2	2012	2.33		TLP SPB 250-01 2012	SPB	250	1	2012	4.45	
TLP SPB 132-03 2012	SPB	132	3	2012	3.00		TLP SPB 250-02 2517	SPB	250	2	2517	7.00	
TLP SPB 132-04 2012	SPB	132	4	2012	3.65		TLP SPB 250-03 3020	SPB	250	3	3020	9.53	
TLP SPB 140-01 1610	SPB	140	1	1610	2.00		TLP SPB 250-04 3020	SPB	250	4	3020	11.20	
TLP SPB 140-02 2012	SPB	140	2	2012	2.71		TLP SPB 250-05 3535	SPB	250	5	3535	20.32	
TLP SPB 140-03 2012	SPB	140	3	2012	3.45		TLP SPB 250-06 3535	SPB	250	6	3535	23.74	
TLP SPB 140-04 2517	SPB	140	4	2517	3.76		TLP SPB 280-01 2012	SPB	280	1	2012	5.17	
TLP SPB 150-01 1610	SPB	150	1	1610	2.40		TLP SPB 280-02 2517	SPB	280	2	2517	8.06	
TLP SPB 150-02 2012	SPB	150	2	2012	3.25		TLP SPB 280-03 3020	SPB	280	3	3020	10.86	
TLP SPB 150-03 2517	SPB	150	3	2517	3.90		TLP SPB 280-04 3020	SPB	280	4	3020	12.95	
TLP SPB 150-04 2517	SPB	150	4	2517	4.70		TLP SPB 280-05 3535	SPB	280	5	3535	20.90	
TLP SPB 160-01 1610	SPB	160	1	1610	2.80		TLP SPB 280-06 3535	SPB	280	6	3535	24.69	
TLP SPB 160-02 2012	SPB	160	2	2012	3.80		TLP SPB 300-01 2012	SPB	300	1	2012	5.45	
TLP SPB 160-03 2517	SPB	160	3	2517	4.72		TLP SPB 300-02 2517	SPB	300	2	2517	8.67	
TLP SPB 160-04 2517	SPB	160	4	2517	5.55		TLP SPB 300-03 3020	SPB	300	3	3020	11.45	
TLP SPB 160-05 2517	SPB	160	5	2517	6.45		TLP SPB 300-04 3535	SPB	300	4	3535	18.25	
TLP SPB 160-06 3020	SPB	160	6	3020	6.18		TLP SPB 315-01 2012	SPB	315	1	2012	6.05	
TLP SPB 170-01 1610	SPB	170	1	1610	3.20		TLP SPB 315-02 2517	SPB	315	2	2517	9.15	
TLP SPB 170-02 2012	SPB	170	2	2012	4.40		TLP SPB 315-03 3020	SPB	315	3	3020	12.25	
TLP SPB 170-03 2517	SPB	170	3	2517	5.55		TLP SPB 315-04 3535	SPB	315	4	3535	19.25	
TLP SPB 170-04 2517	SPB	170	4	2517	6.48		TLP SPB 315-05 3535	SPB	315	5	3535	20.20	
TLP SPB 170-05 3020	SPB	170	5	3020	6.53		TLP SPB 315-06 3535	SPB	315	6	3535	23.55	
TLP SPB 170-06 3020	SPB	170	6	3020	7.35		TLP SPB 335-02 2517	SPB	335	2	2517	9.82	
TLP SPB 180-01 1610	SPB	180	1	1610	3.03		TLP SPB 335-03 3020	SPB	335	3	3020	12.75	
TLP SPB 180-02 2517	SPB	180	2	2517	5.45		TLP SPB 335-04 3535	SPB	335	4	3535	20.75	
TLP SPB 180-03 2517	SPB	180	3	2517	6.42		TLP SPB 335-05 3535	SPB	335	5	3535	22.70	
TLP SPB 180-04 2517	SPB	180	4	2517	7.40		TLP SPB 355-02 3020	SPB	355	2	3020	10.98	
TLP SPB 180-05 3020	SPB	180	5	3020	7.55		TLP SPB 355-03 3020	SPB	355	3	3020	14.45	
TLP SPB 190-01 2012	SPB	190	1	2012	3.45		TLP SPB 355-04 3535	SPB	355	4	3535	21.62	
TLP SPB 190-02 2517	SPB	190	2	2517	6.30		TLP SPB 355-05 3535	SPB	355	5	3535	24.30	
TLP SPB 190-03 2517	SPB	190	3	2517	7.37		TLP SPB 400-02 3020	SPB	400	2	3020	13.60	
TLP SPB 190-04 2517	SPB	190	4	2517	8.40		TLP SPB 400-03 3535	SPB	400	3	3535	20.95	
TLP SPB 190-05 3020	SPB	190	5	3020	8.81		TLP SPB 400-04 3535	SPB	400	4	3535	24.76	
TLP SPB 190-06 3020	SPB	190	6	3020	9.75		TLP SPB 400-05 3535	SPB	400	5	3535	27.78	
TLP SPB 200-01 2012	SPB	200	1	2012	3.52		TLP SPB 425-04 3535	SPB	425	4	3535	26.26	
TLP SPB 200-02 2517	SPB	200	2	2517	7.30		TLP SPB 450-03 3535	SPB	450	3	3535	24.50	
TLP SPB 200-03 2517	SPB	200	3	2517	8.55		TLP SPB 450-04 3535	SPB	450	4	3535	27.83	
TLP SPB 200-04 3020	SPB	200	4	3020	9.14								
TLP SPB 200-05 3020	SPB	200	5	3020	10.25								
TLP SPB 200-06 3020	SPB	200	6	3020	11.46								

• Intermediate and larger sizes: Price on request

PIX-PowerWare®



TAPER LOCK "SPC" SECTION PULLEYS

Product code	Type	Size	Groove	Bush size	Price Euro (€)	Product code	Type	Size	Groove	Bush size	Price Euro (€)
TLP SPC 200-03 2517	SPC	200	3	2517		TLP SPC 315-03 3535	SPC	315	3	3535	
TLP SPC 200-04 3020	SPC	200	4	3020		TLP SPC 315-04 3535	SPC	315	4	3535	
TLP SPC 200-05 3535	SPC	200	5	3535		TLP SPC 315-05 3535	SPC	315	5	3535	
TLP SPC 200-06 3535	SPC	200	6	3535		TLP SPC 315-06 3535	SPC	315	6	3535	
TLP SPC 200-08 3535	SPC	200	8	3535		TLP SPC 315-08 4040	SPC	315	8	4040	
TLP SPC 224-03 3020	SPC	224	3	3020		TLP SPC 355-03 3535	SPC	355	3	3535	
TLP SPC 224-04 3535	SPC	224	4	3535		TLP SPC 355-04 3535	SPC	355	4	3535	
TLP SPC 224-05 3535	SPC	224	5	3535		TLP SPC 355-05 3535	SPC	355	5	3535	
TLP SPC 224-06 3535	SPC	224	6	3535		TLP SPC 355-06 3535	SPC	355	6	3535	
TLP SPC 224-08 3535	SPC	224	8	3535		TLP SPC 355-08 4040	SPC	355	8	4040	
TLP SPC 250-03 3020	SPC	250	3	3020		TLP SPC 400-03 3535	SPC	400	3	3535	
TLP SPC 250-04 3535	SPC	250	4	3535		TLP SPC 400-04 3535	SPC	400	4	3535	
TLP SPC 250-05 3535	SPC	250	5	3535		TLP SPC 400-05 3535	SPC	400	5	3535	
TLP SPC 250-06 3535	SPC	250	6	3535		TLP SPC 400-06 4040	SPC	400	6	4040	
TLP SPC 250-08 3535	SPC	250	8	3535		TLP SPC 400-08 4545	SPC	400	8	4545	
TLP SPC 280-03 3535	SPC	280	3	3535		TLP SPC 450-03 3535	SPC	450	3	3535	
TLP SPC 280-04 3535	SPC	280	4	3535		TLP SPC 450-04 3535	SPC	450	4	3535	
TLP SPC 280-05 3535	SPC	280	5	3535		TLP SPC 450-05 4040	SPC	450	5	4040	
TLP SPC 280-06 3535	SPC	280	6	3535		TLP SPC 450-06 4545	SPC	450	6	4545	
TLP SPC 280-08 3535	SPC	280	8	3535		TLP SPC 450-08 5050	SPC	450	8	5050	
TLP SPC 300-03 3535	SPC	300	3	3535		TLP SPC 500-03 3535	SPC	500	3	3535	
TLP SPC 300-04 3535	SPC	300	4	3535		TLP SPC 500-04 3535	SPC	500	4	3535	
TLP SPC 300-05 3535	SPC	300	5	3535		TLP SPC 500-05 4040	SPC	500	5	4040	
TLP SPC 300-06 3535	SPC	300	6	3535		TLP SPC 500-06 4545	SPC	500	6	4545	
TLP SPC 300-08 4040	SPC	300	8	4040		TLP SPC 500-08 5050	SPC	500	8	5050	

TAPER BUSHES WITH SCREWS



Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)	Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)	Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)
TLB 1008-10	1008	10.0	0.11		TLB 1108-10	1108	10.0	0.15		TLB 1210-14	1210	14.0	0.26	
TLB 1008-11	1008	11.0	0.11		TLB 1108-12	1108	12.0	0.14		TLB 1210-15	1210	15.0	0.25	
TLB 1008-12	1008	12.0	0.11		TLB 1108-14	1108	14.0	0.14		TLB 1210-16	1210	16.0	0.24	
TLB 1008-14	1008	14.0	0.11		TLB 1108-15	1108	15.0	0.14		TLB 1210-18	1210	18.0	0.23	
TLB 1008-15	1008	15.0	0.11		TLB 1108-16	1108	16.0	0.13		TLB 1210-19	1210	19.0	0.23	
TLB 1008-16	1008	16.0	0.11		TLB 1108-18	1108	18.0	0.12		TLB 1210-20	1210	20.0	0.22	
TLB 1008-18	1008	18.0	0.90		TLB 1108-19	1108	19.0	0.12		TLB 1210-22	1210	22.0	0.20	
TLB 1008-19	1008	19.0	0.90		TLB 1108-20	1108	20.0	0.11		TLB 1210-24	1210	24.0	0.20	
TLB 1008-20	1008	20.0	0.70		TLB 1108-22	1108	22.0	0.11		TLB 1210-25	1210	25.0	0.18	
TLB 1008-22	1008	22.0	0.70		TLB 1108-24	1108	24.0	0.11		TLB 1210-28	1210	28.0	0.18	
TLB 1008-24	1008	24.0	0.60		TLB 1108-25	1108	25.0	0.90		TLB 1210-30	1210	30.0	0.22	
TLB 1008-25	1008	25.0	0.60		TLB 1108-28	1108	28.0	0.80		TLB 1210-32	1210	32.0	0.22	

• Intermediate and larger sizes: Prices on request

PIX-PowerWare®



TAPER BUSHES WITH SCREWS

Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)	Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)	Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)
TLB 1610-12	1610	12.0	0.39		TLB 1615-22	1615	22.0	0.51		TLB 2012-16	2012	16.0	0.72	
TLB 1610-14	1610	14.0	0.39		TLB 1615-24	1615	24.0	0.47		TLB 2012-18	2012	18.0	0.72	
TLB 1610-15	1610	15.0	0.39		TLB 1615-25	1615	25.0	0.47		TLB 2012-19	2012	19.0	0.72	
TLB 1610-16	1610	16.0	0.38		TLB 1615-28	1615	28.0	0.42		TLB 2012-20	2012	20.0	0.72	
TLB 1610-18	1610	18.0	0.38		TLB 1615-30	1615	30.0	0.40		TLB 2012-22	2012	22.0	0.72	
TLB 1610-19	1610	19.0	0.38		TLB 1615-35	1615	35.0	0.34		TLB 2012-24	2012	24.0	0.68	
TLB 1610-20	1610	20.0	0.36		TLB 1615-38	1615	38.0	0.30		TLB 2012-25	2012	25.0	0.66	
TLB 1610-22	1610	22.0	0.36		TLB 1615-40	1615	40.0	0.26		TLB 2012-28	2012	28.0	0.64	
TLB 1610-24	1610	24.0	0.33		TLB 1615-42	1615	42.0	0.25		TLB 2012-30	2012	30.0	0.61	
TLB 1610-25	1610	25.0	0.33							TLB 2012-32	2012	32.0	0.60	
TLB 1610-28	1610	28.0	0.32							TLB 2012-35	2012	35.0	0.57	
TLB 1610-30	1610	30.0	0.28							TLB 2012-38	2012	38.0	0.52	
TLB 1610-32	1610	32.0	0.27							TLB 2012-40	2012	40.0	0.50	
TLB 1610-35	1610	35.0	0.24							TLB 2012-42	2012	42.0	0.46	
TLB 1610-38	1610	38.0	0.21							TLB 2012-45	2012	45.0	0.42	
TLB 1610-40	1610	40.0	0.18							TLB 2012-48	2012	48.0	0.36	
TLB 1610-42	1610	42.0	0.16							TLB 2012-50	2012	50.0	0.33	

Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)	Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)	Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)
TLB 2517-20	2517	20.0	1.54		TLB 3020-28	3020	28.0	2.76		TLB 3525-50	3525	50.0	4.29	
TLB 2517-22	2517	22.0	1.52		TLB 3020-30	3020	30.0	2.74		TLB 3525-55	3525	55.0	4.08	
TLB 2517-24	2517	24.0	1.50		TLB 3020-32	3020	32.0	2.68		TLB 3525-60	3525	60.0	3.86	
TLB 2517-25	2517	25.0	1.50		TLB 3020-35	3020	35.0	2.64		TLB 3525-70	3525	70.0	3.42	
TLB 2517-28	2517	28.0	1.44		TLB 3020-38	3020	38.0	2.54		TLB 3525-75	3525	75.0	3.16	
TLB 2517-30	2517	30.0	1.43		TLB 3020-40	3020	40.0	2.53		TLB 3525-80	3525	80.0	2.86	
TLB 2517-32	2517	32.0	1.41		TLB 3020-42	3020	42.0	2.52		TLB 3525-85	3525	85.0	2.57	
TLB 2517-35	2517	35.0	1.35		TLB 3020-45	3020	45.0	2.45		TLB 3525-90	3525	90.0	2.25	
TLB 2517-38	2517	38.0	1.26		TLB 3020-48	3020	48.0	2.40						
TLB 2517-40	2517	40.0	1.25		TLB 3020-50	3020	50.0	2.28						
TLB 2517-42	2517	42.0	1.25		TLB 3020-55	3020	55.0	2.06						
TLB 2517-45	2517	45.0	1.17		TLB 3020-60	3020	60.0	1.19						
TLB 2517-48	2517	48.0	1.06		TLB 3020-65	3020	65.0	1.72						
TLB 2517-50	2517	50.0	1.00		TLB 3020-70	3020	70.0	1.46						
TLB 2517-55	2517	55.0	0.87		TLB 3020-75	3020	75.0	1.38						
TLB 2517-60	2517	60.0	0.74											
TLB 2517-65	2517	65.0	0.60											

Bush, key-size, torque details

Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)	Product code	Bush size	Finished bore size (mm)	Weight (kgs)	Price Euro (€)	Product code	Allen key size (mm)	Tightening torque (Nm)
TLB 3535-35	3535	35.0	6.38		TLB 4040-70	4040	70.0	7.80		1008	3.0	5.6
TLB 3535-40	3535	40.0	6.24		TLB 4040-75	4040	75.0	7.39		1108	3.0	5.6
TLB 3535-45	3535	45.0	6.02		TLB 4040-80	4040	80.0	6.89		1210	5.0	20.0
TLB 3535-48	3535	48.0	5.80							1610	5.0	20.0
TLB 3535-50	3535	50.0	5.65		TLB 4545-75	4545	75.0	10.88		1615	5.0	20.0
TLB 3535-55	3535	55.0	5.25							2012	6.0	30.0
TLB 3535-60	3535	60.0	5.23		TLB 5050-85	5050	85.0	14.18		2517	6.0	50.0
TLB 3535-65	3535	65.0	4.92		TLB 5050-90	5050	90.0	13.54		3020	8.0	90.0
TLB 3535-70	3535	70.0	4.50		TLB 5050-100	5050	100.0	12.15		3030	8.0	90.0
TLB 3535-75	3535	75.0	4.30		TLB 5050-110	5050	110.0	10.66		3525	10.0	115.0
TLB 3535-80	3535	80.0	3.85							3535	10.0	115.0
TLB 3535-90	3535	90.0	2.50							4030	12.0	170.0
										4040	12.0	170.0



• Intermediate and larger sizes: Prices on request